## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# **Princeton Nurseries**

PRINCETON, NEW JERSEY

Price HE

Wm. Flemer's Sons, Proprietors
also of
F. & F. Nurseries, Springfield, N. J.

#### Business Terms

ALL ORDERS ARE ACCEPTED SUBJECT TO previous sale and the following terms and conditions:

PRICES in this catalogue cancel all previous lists and quotations and are subject to change without notice. Cost of packing will be extra. Prices include local delivery, but a special charge covering cost is made on distant deliveries.

STOCK SPECIALLY SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen, irrespective of catalogue list price.

RATES.—Lots of 5 and 25 of a variety will be furnished at the 10 and 100 rates respectively.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when for your convenience accounts will be opened due in 30 days from date of invoice.

INSPECTION.—Our stock is regularly inspected and certificate will be sent with each shipment.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Our stock is of the highest grade, thrifty and well grown, insuring its success if properly cared for after transplanting.

WE CAN GIVE NO GUARANTEE ON THE LIFE OF STOCK, as we have no control over its usage after it leaves our hands.

CLAIMS must be made direct to our office within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIMS FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and promptly present your claim to the transportation company.

F. & F. Nurseries.

#### Deciduous Trees

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitant greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

Each

ACER dasycarpum. Silver Maple. 60'-80' Quick growing, graceful.

Leaves silvery underneath—clear yellow autumn coloring.

8	to	10 ft	\$1.50
8	to	10 ft., 1 1/4 in	2.00
10	to	11 ft., 1½ in	2.50
10	to	12 ft., 1 3/4 in	3.00
12	to	13 ft., 2 in	3.75
12	to	13 ft., 2½ in	4.50
13	to	14 ft., $2\frac{1}{2}$ in	6.00
14	to	15 ft., 3 in	7.50
14	to	15 ft., 3½ in	10.00

dasycarpum pyramidale. Pyramidal Silver Maple. 30'-40' A narrow form with vertical branches, useful for accent.

6	to	8 ft	1.75
8	to	10 ft	2.50
8	to	10 ft., 1 ½ in	3.50
9	to	10 ft., 1½ in	5.00
0	to	11 ft., 2 in	6.00
1	to	12 ft., 2½ in	7.50

1

dasycarpum wieri. Wier Cut Leaf Maple. 60'-80' Graceful, drooping.

8	to	10 ft., 1 1/4 in	2.50
10	to	11 ft., 1½ in	3.00
11	to	12 ft., $1\frac{3}{4}$ in	4.00
12	to	13 ft., 2 in	5.00
12	to	13 ft., 2½ in	6.00

negundo. Box Elder. 60' Grows where other trees fail—especially good for dry barren places and seashore. Rapid grower.

8	to	10 ft	1.25
8	to	10 ft., 1½ in	1.75
10	to	11 ft., 1½ in	2.25
11	to	12 ft., 1 ¾ in	3.00
12	to	13 ft., 2 in	4.00
13	to	14 ft., 2½ in	5.00

platanoides. Norway Maple. 50'-75' The most popular street tree, retains green leaves until late autumn, then turns rich yellow.

8	to	10 ft., 1½ in	3.50	
10	to	11 ft., 1½ in	4.00	
11	to	12 ft., 1 <sup>3</sup> / <sub>4</sub> in	5.00	
12	to	13 ft., 2 in	6.50	
		14 ft., 2½ in		
13	to	14 ft., 2½ in	10.00	
14	to	16 ft., 3 in	12.50	
14	to	16 ft., 3½ in	15.00	

platanoides schwedleri. Schwedler Purple Maple. 40'-60' Probably the best large growing purple leaf tree—useful lawn tree.

6	to	8 ft	3.00
8	to	10 ft	4.00
8	to	10 ft., 1¼ in	5.00
0	to	11 ft., 1½ in	6.00
		12 ft., 1 3/4 in	
12	to	13 ft., 2 in	8.50
. 3	to	14 ft., 2½ in	10.00

2	PRINCETON NORSERIES PR	ICE LIST
		Each Per 10
ACER penns	ylvanicum (striatum). Striped Ma	
*	sylvanicum (striatum). Striped Ma striped with white. Thrives in w	et soils.
	2 to 3 ft	\$1.00
	3 to 4 ft	1.25 1.75
	atanus. Sycamore Maple. 40'-60	
pseudop.	Quickly develops into a well-shap straight stem.	ped specimen with a clean
	10 to 11 ft., 1½ in	3.50
	11 to 12 ft., 1¾ in	4.00 5.00
	12 to 13 ft., 2½ in	6.50
	13 to 14 ft., $2\frac{1}{2}$ in	8.00
rubrum.	Red or Scarlet Maple. 50'-75' B thrives in upland. Brilliant red au	
	8 to 10 ft., 1½ in	3.50
	10 to 12 ft., 1½ in	4.00
	12 to 13 ft., 1 <sup>3</sup> / <sub>4</sub> in	5.00 6.50
	13 to 14 ft., $2\frac{1}{4}$ in	8.00
	14 to 15 ft., $2\frac{1}{2}$ in	
saccharu	m. Sugar Maple. 50'-75' Most Best planted in spring—rich yellow	v autumn coloring.
	8 to 10 ft	2.50 3.00
	11 to 12 ft., $1\frac{1}{2}$ in	4.00
	11 to 12 ft., 1½ in	5.00
	13 to 14 ft., 2 in	6.50 8.00
	15 to 16 ft., $2\frac{1}{2}$ in	10.00
	16 to 18 ft., 3 in	12.50
AESCULUS	hippocastanum. Horsechestnut. most attractive when in flower—Ju	15.00 $40'-60'$ Slow growth— Inc. Handsome on a lawn.
	10 to 12 ft., 3 in	7.50
	12 to 13 ft., 3½ in	10.00
	12 to 13 ft., 4 in	12.50 15.00
	6 in	20.00
parviflora		
	some spreading shrub covered v flowers in July-August. Leaves s	imilar to horsechestnut.
	18 to 24 in	1.25 1.75
	3 to 4 ft	2.50
AILANTHUS	most adverse city conditions. La	rge leaves—grows rapidly.
	4 to 6 ft	.75 1.25
	8 to 10 ft	2.00
	S persica (Prunus). Flowering Per- tive double flowering form, blooms	s before leaves—red, white.
	2 to 3 ft	.75 1.00
	4 to 5 ft	1.25
	5 to 6 ft	1.50
BETULA alb	samopeum mutte birem. 00 0	
	3 to 4 ft	1.00
	4 to 6 ft	1.25 2.00

	PRIN	iceton, ne	EW JERS	SEY	3
				Each	Per 10
BETULA alba	a laciniata. lawn planti		Leaf.	30'-40'	Graceful tree for
3	-			\$2.00	
4				2.50	
5				3.00 4.00	
8				5.00	
		amidal White			Dense, columnar.
				2.00	Dense, columnar.
4					
alba youn	gi. Young dulous bran	Weeping Bir ches. Most g	ch. 30' raceful la	–40′ Ha	s spreading pen- imen.
3				2.00	
4		401 601 11		3.00	
	conspicuou	s catkins in spi	ring.		reddish bark and
8				1.75 2.50	
	ellow Birch	50'-70' Ma	akes fine		ak—good foliage.
3				1.00	an good ronage.
4				1.25	
6				2.00	
8		701 COL 771 :		3.00	T
	bark is quit	e unique—ver	y effectiv	re for nat	Its torn ragged uralistic planting.
3 4				1.00 1.50	
-					
papyrifera	. Paper or	Canoe Birch	. 40′-5	0' Pictur	esque paper bark,
	very white	when older—g	graceful b	oranching	habit.
				1.50	
				2.00 2.50	
				3.50	
	a. Gray Bi		Will g	row in p	oor soil and dry
4				1.25	
6				1.75 2.50	
CARDINIUS -					eam. 30'-40'
CARPINUS c	Closely rese	mbles the beec	:h—smoo	n 1107110 oth blue-ş .60	gray bark.
3				1.00	
				1.25	
	hedge becau	ise of its dense	growth.	Beech-	or massing or a like foliage.
3				1.00	
4 5				1.25 1.50	
		ornbeam. L			rt-shaped.
cordata.	to 6 ft			2.00	ir t-straped.
				2.50	
CATALPA bu	ingei. Umb	rella Catalpa	. 10'-1	5' Form	nal planting.
N	Medium Head	s1 1/4 in.	stems	2.50	
F	first Class He	ads $1\frac{1}{2}$ in.	stems	3.00	
Ī	Extra Large F	leads $1^{3}$ in. rge Heads 2 in.	stems	4.00 5.00	
speciosa.		atalpa, 30'-3		3.30	
	0 to 12 ft.	, $2\frac{1}{4}$ in		3.50	

4 PRINCETON NURSERIES PRICE LIST
CEDRELA sinensis. Cedrela. 30'-40' Gives a tropical looking effect—clusters of white flowers. Will thrive under city conditions. 2 to 3 ft
3 to 4 ft
3 to 4 ft
5 to 6 ft
CERCIDIPHYLLUM japonicum. Katsura Tree. 60'-80' Develops into a magnificent tree. Beautiful spring and autumn colors.
3 to 4 ft
CERCIS. Judas Tree. (See Shrubs)
CLADRASTIS lutea (tinctoria). Yellow Wood. 30'-40' A striking tree with long panicles of fragrant white flowers in June.
4 to 5 ft
CORNUS florida. White Flowering Dogwood. 15'-25' Among the best of the spring flowering small trees—red berries in fall.
3 to 4 ft
5 to 6 ft. 2.00
6 to 8 ft
florida pendula. Weeping Dogwood. 8'-10' Curious weeping form.
3 to 4 ft
rubra. Red Flowering Dogwood. 15'–20' The pink flowers are more persistent than the white.
18 to 24 in 1.25 2 to 2½ ft 1.75
$2\frac{1}{2}$ to $3^{-2}$ ft 2.25
3 to 4 ft
CRATAEGUS carrieri. Carrier Thorn. 12'-15'
2 to 3 ft
3 to 4 ft
coccinea. Thicket Hawthorn. 15'-20' Large scarlet fruits.
2 to 3 ft
4 to 5 ft
cordata. Washington Hawthorn. 12'-15' Berries are small, brilliant red and persist nearly all winter. Brilliant autumn foliage.  2 to 3 ft
crusgalli. Cockspur Thorn. 15' Deep green shiny leaves make this hawthorn distinctive. White flowers are also conspicuous.
2 to 3 ft
4 to 5 ft
5 to 6 ft
and large red fruits.
2 to 3 ft
flowers.
18 to 24 in

THINGETOIN, INEW JERGET 3
Each Per 10
CRATAEGUS Paul's Scarlet. 12'-15' Double scarlet flowers.
3 to 4 ft
4 to 5 ft
5 to 6 ft
DIOSPYROS virginiana. Persimmon. 15' Handsome foliage.
3 to 4 ft
4 to 5 ft 1.25
FAGUS americana (ferruginea). American Beech. 75'-100' One of
our best native trees—distinctive silver-gray bark. Prefers well
drained limestone soil. Should be planted in early spring.
2 to 3 ft 1.50
3 to 4 ft
4 to 5 ft
sylvatica asplenifolia. Fern or Cutleaf Beech. 40'-50' A splendid compact lawn tree with fern-like foliage. Clean gray bark.
2 to 3 ft
FRAXINUS americana. White Ash. 70'-80' Fairly rapid grower. Assumes
pleasing golden tones in autumn. Good in moist and lime
soils. Makes a splendid street tree with a clean straight trunk.
8 to 10 ft., 1½ in 1.75
10 to 12 ft., 1½ in 2.50
10 to 12 ft., 1 <sup>3</sup> / <sub>4</sub> in
12 to 13 ft., 2 in 4.00
12 to 13 ft., 2¼ in 5.00
GINKGO biloba (Salisburia). Maidenhair Tree. 50'-75' Picturesque,
interesting, quite distinct. Leaves shaped like maidenhair fern. Immune from insects—thrives under city conditions.
6 to 8 ft
8 to 10 ft., 1½ in 3.00
10 to 12 ft., $1\frac{1}{2}$ in 3.50
GLEDITSIA triacanthos. Houey Locust. 60'-70' Thorny tree with
fragrant white flowers in May. Good for gravelly soil.
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
GYMNOCLADUS diocia. Kentucky Coffee Tree. 40'-50' Light blue- green foliage of slow growth—long interesting seed pods.
2 to 3 ft
3 to 4 ft
4 to 5 ft
KOELREUTERIA paniculata. Varnish Tree. 25'-30' Has bright yellow
flowers in July—a valuable small tree of irregular outline.
3 to 4 ft
4 to 5 ft
5 to 6 ft
6 to 7 ft
LABURNUM vulgare. Golden Chain. 20'-25' Golden yellow flowers
in June.
2 to 3 ft
4 to 5 ft
LARIX europaea. European Larch. 50′–60′ Especially good for spring effects. Grows rapidly into a symmetrical tree.
$2\frac{1}{2}$ to 3 ft 1.00
3 to 4 ft

6 PRINCETON NORSERIES PRICE LIST
LARIX laricina. American Larch. 40'-50'
2 to 3 ft
leptolepis. Japanese Larch. 50'-60' Has long flat leaves turning bright orange in autumn.
2 to 3 ft
LIQUIDAMBAR styraciflua. Sweet Gum. 50'-60' One of best trees for autumn color. Grows well in moist places. Has corky bark and star-shaped maple-like leaves—difficult to transplant.
3 to 4 ft       1.50         4 to 5 ft       2.00         5 to 6 ft       3.00         6 to 8 ft       4.00         8 to 10 ft       5.00
LIRIODENDRON tulipifera. Tulip Tree. 60'-80' A quick grower. The yellow tulip-like flowers are produced in June—peculiar flat topped leaves clear yellow in autumn. Prefers moist place.
4 to 6 ft 1.00 6 to 8 ft 1.75 8 to 10 ft 2.50 10 to 12 ft 3.00 12 to 14 ft 4.00
MAGNOLIA glauca. Sweet Bay. 15'-20' Delightfully fragrant creamy flowers in May, leaves nearly evergreen, prefers moist location. 18 in., B. & B
2 ft., B. & B. 2.00 2½ to 3 ft., B. & B. 3.00
macrophylla. Bigleaf Magnolia. 30'-40' Fragrant white flowers in June. Leaves sometimes two feet long.
2 to 3 ft
Soulangeana. Saucer Magnolia. 15'-18' Large reddish purple and white flowers—May.
2 to 3 ft
Soulangeana Lennei. Lenne Magnolia. 15'–18' Flowers are darker and appear later than preceding.
2 to 3 ft 6.50 3 to 4 ft 8.00
tripetala. Umbrella Tree. 30'-40' Very large leaves—flowers white in late spring. Seed pods are pink.
5 to 6 ft
MALUS arnoldiana. Arnold Crab. 12'-15' White flowers, April-May. 4 to 5 ft
coronaria. Sweet Crab. 15'-20' Fragrant blush pink flowers in early spring—April.
2 to 3 ft
floribunda. Japanese Flowering Crab. 10'-15' Literally covered with rose-colored buds and white flowers in early spring.  2 to 3 ft
3 to 4 ft       1.25         4 to 5 ft       1 50         5 to 6 ft       2.00

Each Per 10	
MALUS floribunda atrosanguinea. Carmine Crab. 10'-15' Deep flowering.	red
2 to 3 ft \$1.00	
3 to 4 ft	
4 to 5 ft	
halliana. Parkman Crab. 10'-15' Semi-double pink, compact h	abit.
2 to 3 ft 1.00	4210
3 to 4 ft	
ioensis. Bechtel Crab. 10'–15' Large double pure pink flowers noticeable fragrance on long stalks. Vigorous grower.	with
18 to 24 in	
2 to 2½ ft	
3 to 4 ft 1.50	
4 to 4½ ft	
4½ to 5 ft	
niedzwetzkyana. Redvein Crab. 12'-15' Has reddish purple flov	vers.
leaves and bark.	· CIB,
2 to 3 ft	
sargenti. Sargent Crab. 10'-15' Single white flowers—low gro	wer.
4 to 5 ft 1.75	
5 to 6 ft 2.50	
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flov	vers.
2 to 3 ft	
4 to 5 ft 1.50	
spectabilis. Chinese Crab. 12'-15'. Semi-double pink flowers.	
2 to 3 ft	
3 to 4 ft	
MORUS alba pendula. Tea's Weeping Mulberry. 8'-10' Medium Grade	
First Class Heads 3.50	
Extra 5.00	
Double Extra	
PAULOWNIA imperialis. Royal Paulownia. 30'-40' Grows rap very large leaves, purple flowers. Not quite hardy in no	
4 to 5 ft	
8 to 10 ft 3.00	
PLATANUS orientalis. European Plane Tree. 70'-80' A good tree park and street use, quick grower, stands city conditions.	e for
8 to 10 ft 2.00	
8 to 10 ft., 1¼ in	
10 to 11 ft., 1½ in 3.00 11 to 12 ft., 1¾ in 4.00	
12 to 13 ft., 2 in 5.00	
POPULUS alba. White Poplar. 60'-80' Rapid grower, rather attraction foliage with woolly-white undersurface.—seashore subjections.	ctive ct.
8 to 10 ft	
8 to 10 ft., 1½ in	

8 PRINCETON NURSERIES PRICE LIST	Γ
	Per 10
POPULUS balsamea. Balsam Poplar. 60'-70' Has	fragrant buds in
spring. Broad leaves, commendable. 8 to 10 ft., $1\frac{1}{4}$ in \$1.25	
10 to 11 ft., 1½ in 2.00	
bolleana. Bolle Poplar. 50'-60' Leaves white u	nderneath, similar
columnar character to Lombardy poplar—g	gray bark.
4 to 6 ft	
8 to 10 ft., 1½ in 2.00	
0 10 10 11., 1 79 111 2.30	
10 to 12 ft., 1 <sup>3</sup> / <sub>4</sub> in 3.00	
canescens. Gray Poplar. 30'–40' 8 to 10 ft., 1½ in	
10 to 12 ft., 1½ in 2.25	
10 to 12 ft., $1\frac{3}{4}$ in	
monolifera. Carolina Poplar. 75'-90' A rapid g	rower, succeeding
even on dry places and near seashore.  8 to 10 ft	
8 to 10 ft., 1½ in 1.00	
11 to 12 ft., $1\frac{1}{2}$ in	
12 to 14 ft., 1¾ in	
14 to 16 ft., 2 in	nira lika character
is valued for screens and architectural effec	ts.
6 to 8 ft	
8 to 10 ft. 1.25	
10 to 11 ft., 1¼ in	
12 to 13 ft., $1\frac{3}{4}$ in	
13 to 14 ft., 2 in 4.00	
simoni. Simon Poplar. 4 to 6 ft	
6 to 8 ft	
Volga Poplar. Has similar upright growth to Lomba	rdy.
4 to 6 ft	
6 to 8 ft	
PRUNUS avium plena (Cerasus). Flowering Cherry.	20'-25' Double
white flowers.	
2 to 3 ft	
James H. Veitch. Veitch Japan Cherry. 18'-20'	Double rosy red
flowers freely produced.	Double rosy red
2 to 3 ft	
3 to 4 ft 5.00	v 201
rosea flore pleno. Double Pink Japan Cherry. 18	3-20
3 to 4 ft	
New red. Double Red Japan Cherry. 18'-20'	
2 to 3 ft 3.50	
3 to 4 ft	5' Mast bassiful
and graceful tree covered with pink blosson	ns in early spring.
Pyramidal Form	no m carry opinio
3 to 4 ft 3.00	
4 to 5 ft	
5 to 6 ft	
Standard Form	
year head	
2 year head 5.00	
3 year head	

PRUNUS pissardi. Purple Leaf Plum. 12'-15' Valued chiefly because of purplish foliage. Should be pruned every year for best
color effect.
2 to 3 ft \$ .75
3 to 4 ft
4 to 5 ft
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage.
4 to 6 ft
6 to 8 ft
PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits—purplish-brown fall coloring.
3 to 4 ft
4 to 6 ft
6 to 8 ft 1.00
QUERCUS alba. White Oak. 80′-100′ The noblest of them all—long
lived, slow growth.
4 to 6 ft
bicolor. Swamp White Oak. 75'-90' Best in low damp places.
4 to 6 ft
6 to 8 ft 3.00
8 to 10 ft., $1\frac{1}{4}$ in 4.00
10 to 12 ft., $1\frac{1}{2}$ in 5.00
cerris. Turkey Oak. 60'-70' Grows quickly—pyramidal in outline.
10 to 12 ft., 3 in 8.50
coccinea. Scarlet Oak. 75'-90' Most striking autumn colors, tall
stately grower, deeply cut leaves—succeeds in dry places.
4 to 6 ft
, / <del>+</del>
palustris. Pin Oak. 75'-90' Takes most kindly to cultivation, prefers
moist soil but is very adaptable. Particularly fitting as a
street tree. Good autumn effects.
8 ft., $1\frac{1}{4}$ in
8 to 9 ft., 1½ in 4.00
9 to 10 ft., 1 <sup>3</sup> ⁄ <sub>4</sub> in
10 to 12 ft., 2 in 6.50
12 to 13 ft., $2\frac{1}{4}$ in 8.00
12 to 13 ft $2\frac{1}{2}$ in
rubra. Red Oak. 75'-90' Comparatively quick growth, rich autumn coloring in greens and reds—unfolding leaves are pink.
8 to 10 ft., 1½ in
9 to 11 ft., 1 <sup>3</sup> / <sub>4</sub> in 5.00
10 to 12 ft., 2 in 6.50
12 to 14 ft., 21/4 in 8.00
12 to 14 ft., $2\frac{1}{2}$ in
ROBINA pseudacacia. Locust. 60'–80' Has fragrant white flowers in May.  6 to 8 ft
SALIX babylonica. Babylonian Weeping Willow. 50'-60' Particularly appropriate for waterside planting with long pendulus branches.
4 to 6 ft
6 to 8 ft
8 to 10 ft
Chinese Form
4 to 6 ft
6 to 8 ft
8 to 10 ft
0 10 10 11

· F	Each Per 10
SALIX babylonica aurea. Russian Golden Weep	ing Willow. 40'-50'
Has golden-yellow bark—similar hal	bit to preceding.
4 to 5 ft \$	1.00
	1.50
blanda (dolorosa). Wisconsin Weeping Willo	
	.75 1.25
	2.00
caprea. Bush Form. Pussy Willow. 15'—spring effects—will do well on dry a	as well as wet places.
2 to 3 ft	.35
4 to 6 ft	.75
	1.00
elegantissima. Thurlow Weeping Willow. 60'-	-70' Vigorous spreading.
	.75
	1.00 1.25
10 to 12 ft	2.00
	3.00
incana (rosmarinifolia). Rosemary Willow. texture in foliage effects—narrow leav	ves silvery white beneath.
2 to 3 ft	.50
4 to 5 ft	.75
pentandra. Laurel Leaf Willow. 20'-30' S leaves make this a worthwhile backg	shining rich dark green
planting.	
3 to 4 ft	.50
	.75 1.00
salamoni. Salamon Weeping Willow. 60'-7 of all "weeping willows."	70' The most vigorous
	.75
	1.00 1.50
	2.50
vitellina aurea. Golden Willow. 25'-30' Va bark being bright golden. Silky le	aluable for winter effect, aves are silvery beneath.
3 to 4 ft	.50
4 to 5 ft	.75 1.00
vitellina britzensis. Bronze Willow. 20'-, when used with preceding variety—h	25' Particularly good
2 to 3 ft	.35
3 to 4 ft	.50
4 to 6 ft	.75 1.00
SOPHORA japonica. Pagoda Tree. 30'–40' White	
2 to 3 ft	1.00
3 to 4 ft	1.50
4 to 6 ft	2.00 . 20'–25' Has bright
	.00
	.50

Each Per 10

SORBUS aucuparia.	European Mou	ntain Ash. 25'-3	0' A valuable tree
on a s	mall lawn—the or	range scarlet berries	are quite striking.

4	to	5 ft	\$1.00
5	to	6 ft	1.50
6	to	8 ft	2.00
8	to	10 ft	3.00

aucuparia pendula. Weeping Mountain Ash. 12'-15' Rather graceful pendulous branches. Fruits freely.

quercifolia. Oak Leaf Mountain Ash. 20'-25' Similar fruit to preceding but leaves resemble the oak.

TILIA americana. American Linden. 75'-90' Grows rather quickly forming an open head. Has fragrant yellow flowers.

10	to	11 ft., 1¾ in	4.00
11	to	12 ft., 2 in	5.00
11	to	12 ft., $2\frac{1}{4}$ in	6.50
12	to	13 ft., $2\frac{1}{2}$ in	8.00
13	to	14 ft., 3 in	10.00
13	to	14 ft., 3½-4 in	12.50

tomentosa (argentea). Silver Leaf Linden. 60'-70' Symmetrical and compact—leaves silvery gray underneath.

1 1/2	in	 4.00
$1\frac{3}{4}$	in	 5.00
2	in	 6.50
$2\frac{1}{4}$	in	 8.00

platyphyllos. European Large Leaf Linden. 60'-75'

9	to	10 ft., 1½	in	3.50
10	to	11 ft., $1\frac{3}{4}$	in	4.00
11	to	12 ft., 2	in	5.00
11	to	12 ft., $2\frac{1}{4}$	in	6.50
12	to	13 ft., $2\frac{1}{2}$	in	
13	to	14 ft., 3	in	10.00

vulgaris (europaea). European Linden. 60'-70' Fragrant flowers in late June, grows vigorously forming compact symmetrical tree.

10	to	12 ft., 1½	in	3.50
10	to	12 ft., 13/4	in	4.00
11	to	12 ft., 2	in	5.00
11	to	12 ft., $2\frac{1}{4}$	in	6.50
12	to	13 ft., $2\frac{1}{2}$	in	8.50
13	to	14 ft., 3	in	11.00
13	to	14 ft., 4	in	15.00

ULMUS americana. American Elm. 80'-100' Stateliness and dignity are here exemplified. Fairly rapid in growth this typical american tree soon assumes regal proportions and commands respect of all.

8	to	10 ft., 1 1/4 in	3.00
9	to	11 ft., 1½ in	3.50
10	to	12 ft., $1\frac{3}{4}$ in	4.00
		12 ft., 2 in	5.00
12	to	13 ft., 2½ in	6.50
13	to	14 ft 2½ in	8.00

### Deciduous Shrubs

The shrubs we offer are of a standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant, which far more than height ought to be, and indeed is, the standard of excellence. Nearly all our shrubs are dug with a tree digger, thus insuring good roots, and are exactly what we represent them to be in all particulars.

Each Per 10 ACER palmatum (polymorphum). Green Japanese Maple. 12'-15' Develops into a splendid specimen for lawn planting-star shaped leaves. 3 to 4 ft ..... \$4.00 4 to 5 ft..... 6.00 palmatum atro purpureum. Purple Leaf Japan Maple. 6'-8' Has rich purple-red leaves all summer. tatarica ginnala. Tartarian Maple. 10'-12' Graceful and valuable for bright red autumn coloring. 2 to 3 ft ..... .75 1.25 3 to 4 ft..... 4 to 5 ft..... 2.00 5 to 6 ft..... 3.00 AMELANCHIER canadensis (botryapium). Juneberry. 10'-12' White flowers in early spring before leaves. Fruits relished by birds. 2 to 3 ft..... .75 to 4 ft..... 1.00 4 to 5 ft ..... 1.50 AMORPHA canescens. Lead Plant. 2'-3' Bluish purple flowers in June. 18 in ...... .75 fruticosa. Indigo Bush. 8'-10' Deep purple flowers June, spreading. 2 to 3 ft ...... .35 to 4 ft..... .50 5 ft ..... .75 4 to AMYGDALUS nana. Flowering Almond. 5'-6' Flowers double, May. Pink and White. 1.50 ARALIA pentaphyllum. Five Leaf Aralia. 7'-8' Graceful arching habit. Splendid for banks, very adaptable, has good green foliage. .35 2 to \$3.00 3 ft ..... 3 to .50 4 ft..... 4.50 4 to 5 ft..... .75 6.50 spinosa. Hercules' Club. 18'-20' Useful for tropical effects and shadows. White flowers, July—dark purple berries follow. .35 3.00 .50 4.50 6.50 .75 1.00 9.00 ARONIA melanocarpa (nigra). Black Chokeberry. 8'-10' Delicate white flowers in May. Black berries persist until late.

.75

1.00

6.50

9.00

3 to 4 ft.....

	PRINCETON, NEW JERS	SEY 13
	olia. Red Chokeberry. 6'–8'	Each Per 10 Valuable because of its
2 t	to 3 ft	\$1.00 \$9.00 1.25 11.00
AZALEA arboreso	cens. Sweet Azalea. 10'–12' F	
	to 15 in., B. & B to 18 in., B. & B	
	to 24 in., B. & B	
	(lutea). Flame Azalea. 8'-1 wers in early spring.	0 Brilliant flame-colored
12 t	to 15 in., B. & B.	1.50
15 t	to 18 in., B. & B.	2.00
canescens. P	Piedmont Azalea. 8'–10'	
	to 15 in., B. & B	1.50
	to 18 in., B. & B.	2.00
	Forch Azalea. 4'-5' Warm b	
12 t	to 15 in., B. & B	3.00
mollis. Chin	ese Azalea. 4'-6' Large sho	owy flowers in shades of
ora	ange and red. May-June.	wy nowers in shades or
	to 15 in., B. & B	2.00
15 t	to 18 in., B. & B	3.00
ponticum. P	Contic Azalea. 6'-8' Flowers	of all shades, white to red.
	to 15 in., B. & B	
	to 18 in., B. & B	
	ay Azalea. 4'-5' Good bush wers, May-June. Prefers semi-	
2	to $2\frac{1}{2}$ ft., B. & B	
21/2		4.00
	Shell Azalea. 5'-6' Delicate	pink, April-May.
15 t	to 15 in., B. & B to 18 in., B. & B to 24 in., B. & B	2.00
	mp Azalea. 4'-5' White, ver	
12 t 15 t	to 15 in., B. & B	2.00
	o 24 in., B. & B	2.50
	o 2½ ft., B. & B	
yodogawa. Yo	odogawa Azalea. 3'–4' Doubl	e pinkish-lavender flowers,
Ma	ay. Quite hardy and of exception	onal merit.
12 to	o 15 in., B. & B	2.00
18 t	o 15 in., B. & B o 18 in., B. & B o 24 in., B. & B	3.50
BACCHARIS hali	imifolia. Groundsel Bush. 9 d pods in Sept. Good for seash	'-10' Conspicuous fluffy
	d pods in Sept. Good for seash	nore. Best in masses.
see		
3 to	4 ft	.75 6.50
3 to 4 to	4 ft 5 ft	1.00 9.00
3 to 4 to BENZOIN aestiva	4 ft	./5 6.50 1.00 9.00 Bush. 10'-12' Flowers
3 to 4 to BENZOIN aestiva yel	4 ft	.75 6.50 1.00 9.00 Bush. 10'-12' Flowers res aromatic.
3 to 4 to BENZOIN aestiva yel 18 to 2 to	4 ft	.75 6.50 1.00 9.00 Bush. 10'-12' Flowers res aromatic. .50 .75 Per 100
3 to 4 to BENZOIN aestiva yel 18 to 2 to BERBERIS. Box	4 ft	.75 6.50 1.00 9.00 Bush. 10'-12' Flowers res aromatic. .50 .75 Per 100 compact form of Japanese
BENZOIN aestiva yel  18 to 2 to BERBERIS. Box Ban	4 ft	1.00 9.00  Bush. 10'-12' Flowers res aromatic.  50  .75 Per 100  compact form of Japanese for dwarf clipped hedges.
BENZOIN aestiva yel 18 to 2 to BERBERIS. Box Ban 8 to	4 ft	1.00 9.00  Bush. 10'-12' Flowers res aromatic50 .75 Per 100  compact form of Japanese for dwarf clipped hedges30 2.70 \$25.00
3 to 4 to BENZOIN aestiva yel 18 to 2 to BERBERIS. Box Bar 8 to	4 ft	1.00 9.00  Bush. 10'-12' Flowers res aromatic.  50  .75 Per 100  compact form of Japanese for dwarf clipped hedges.
BENZOIN aestiva yel 18 to 2 to BERBERIS. Box Bar 8 to 10 to	4 ft. 5 ft	.75 6.50 1.00 9.00 Bush. 10'-12' Flowers res aromatic. .50 .75 Per 100 compact form of Japanese for dwarf clipped hedges. .30 2.70 \$25.00 .40 3.50 30.00 .50 4.50 40.00 .60 5.00 45.00
BENZOIN aestiva yel 18 tt 2 tt BERBERIS. Box Ban 8 tc 10 tt 12 tc 15 tt 18 tt	4 ft	.75 6.50 1.00 9.00 Busht. 10'-12' Flowers res aromatic. .50 .75 Per 100 ompact form of Japanese for dwarf clipped hedges. .30 2.70 \$25.00 .40 3.50 30.00 .50 4.50 40.00

14	PRINCETON NURSERIES PR	CE LIST
BERBERIS ar	nurensis japonica. Hackodate orange and scarlet in autumn. W	Each Per 10 Per 100 Barberry. 5'-6' Brilliant 'ithstands drought well. \$ .50
thunhergi.	2 to 15 in	splendid low hedge plant
	or for massing. Brilliant autumn	coloring, scarlet berries.
1	2 to 15 in	.25 \$2.20 \$20.00
1	5 to 18 in	.55 5.00 25.00
1	8 to 24 in	.75 6.00 50.00
2	2 to 15 in	1.00 9.00
thunbergi.	Sheared Globes. These are we	ell shaped solid specimens.
1	2 in	1.50
1.	5 in	2.00
l.	8 in European Barberry, 7'-8' Ye	allow flowers Mark Fruit
	red, persisting to midwinter. Vig	orous, upright habit.
	2 to 3 ft	.25 2.20
	1½ to 2 ft	.50 4.50
4	4 to 5 ft	.75 6.50
	arpurea. Purple European Barb soft purple foliage. Similar in ha	bit to preceding.
	8 to 24 in	.35 .50
BUDDLEIA ve	eitchiana. Butterfly Bush. 5'-6' green foliage and deep lilac flower	Very effective with gray-
13	8 to 24 in	.35 3.00
3	2 to 5 ft	.50 4.50
	8 to 24 in	1.00 0.00
CALLICARPA	purpurea. Chinese Beauty-Ber tractive in August with its lilac-vio	ry. 3'-4' Especially at-
1:	5 to 18 in	.35 3.00
18	8 to 24 in 2½ to 3 ft	.50 4.50
	US floridus. Common Sweet brown flowers, June-Sept., spicy f	ragrance.
13	S to 24 in	.50 4.50 75 6.50
2	5 to 4 ft	1.00 9.00
	arborescens. Siberian Peatree. shaped flowers, May-June. Does	10'-12' Yellow pea-
2	to 3 ft	
	to 4 ft	.50
	IS incana (mastacantha). Blue blue flowers, SeptOct. Splendic protection in winter.	
1	yryr.	.35 3.00 25.00
CEDIIAI ANTI	yr	.50 4.50 35.00
CEPHALANTI	HUS occidentalis. Button Bush. creamy-white flowers, July-Sept.	
1.8	8 to 24 in	.35 3.00
2	to 3 ft	.50 4.50
	5 to 4 ft	.75 6.50
	densis. American Redbud. 12 Very effective when planted with	dogwood. Good foliage.
3	to 3 ft	.75 1.00 1.25

THIT CET OTT, THEW JEROE C 15
CERCIS japonica. Chinese Redbud. 10'-12' Flowers larger and darker
than above succeeds best in rather moist soil. 15 in
CHIONANTHUS virginica. White Fringe. 15'-18' Fragrant tassel-like white flowers, May-June. Blue-black plum-like fruits follow.
1½ to 2 ft
4 to 5 ft
3 to 4 ft
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-Aug. Useful for dry places—inflated seed pods often colored.
2 to 3 ft
5 to 6 ft
porcelain blue fruits—quick grower, useful for winter effect.
18 to 24 in
2 to 3 ft
alba elegantissima. Variegated Dogwood. 5'-6' Has silver and green leaves.
$1\frac{1}{2}$ to 2 ft
2 to 3 ft
alba spaethi. Spaeth Dogwood. 6'-8' Leaves margined yellow.
18 to 24 in
2 to $2\frac{1}{2}$ ft
18 to 24 in
2 to 3 ft
4 to 5 ft
amomum (sericea). Silky Dogwood. 8'-9' Pale blue truits—young twigs purple. Prefers moist places—has creamy white flowers.
2 to 3 ft
4 to 5 ft
5 to 6 ft
gray-green leaves, white fruits, small white flowers all summer.  3 to 4 ft
kousa. Kousa Dogwood. 16'–18' Large white flowers in June. Conspicuous cherry-like scarlet fruits, attractive to birds.
2 ft
3 ft
in May, followed by white fruits on red stems—likes moisture.  2 to 3 ft
3 to 4 ft

	PRINCETON NURSERIES PRIC	E LIS	0.1	
	,	Fach	Per 10	
CORNUS stol	onifera. Red Osier Dogwood. 7'- white fruits.			bark,
			\$4.50	
2	to 3 ft \$	,30	\$4.50	
5	to 4 ft to 5 ft	./5	6.50 9.00	
4	to 5 ft			
	lutea. Golden Bark Dogwood yellow bark.		-7' Has di	stinct
2	to 3 ft	.50	4.50	
3	to 4 ft	.75	6.50	
4	to 4 ft to 5 ft	1.00	9.00	
CODVILLE	nericana. Hazel-nut. 8'–9' Usef			tim an
CORTLUS all	tericana. Huser-nut. 6-9 Oser		naturai pian	ungs.
Z 7		1.50		
		2.00		
	to 5 ft			
	onica. Flowering Quince. 4'-5' May.		t flowers in A	April–
1	½ to 2 ft to 2½ ft £ ft	.50	4.50	
2	to 2½ ft	.75	6.50	
2.	15 ft	1.00	9.00	
3	ft	1 25	11.00	
DEGMODIUM	(C 1 1 )	1.23	11.00	
	. (See Lespedeza)			
DEUTZIA grac	tilis. Slender Deutzia. 3' Profuse b	loomei	, pure white,	May.
10	0 to 12 in	.35	3.00	
1.2	2 to 15 in	.50	4.50	
1.5	5 to 18 in	.75	6.50	
	2 ft	1.00	9.00	
	Lemoine Deutzia. 4'–5' Large whit	- fla		a . f 1
	Lemoine Deutzia, 4 –5 Large Wnii	te How	ers, june, grad	cerui.
1.5		.50		
	1½ to 2 ft	./5	6.50	
	2 to $2\frac{1}{2}$ ft	1.00	9.00	
magnifica.	6'-8' Large tassel-like flowers, Ju	ne. V	igorous.	
1	½ to 2 ft	.50		
2	2 to 2½ ft	.75		
2	1½ to 2 ft	1.00		
narviflora	Mongolian Deutzia. 3' Erect h	abit 11	hita Juna	
1.	5 to 18 in	.55	3.00 4.50	
16			4.30	
	8 to 24 in	.50		
2	2 to 2½ ft	.75	6.50	
scabra. P	ride of Rochester. 9'-10' Vigoro	.75 ous la	6.50	inged
scabra. P	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft	.75 ous la:	6.50	nged
scabra. P	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft	ous la	6.50 rge flower ti	nged
scabra. P	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft to 4 ft	.50 .75	6.50 rge flower ti 4.50	inged
scabra. P	ride of Rochester. 9'–10' Vigoro pink—June. to 3 ft	.50 .75 1.00	6.50 rge flower ti 4.50 6.50 9.00	
scabra. P  2 3 4 scabra can	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft to 4 ft to 5 ft didissima. Snowflake Deutzia. double white, June. Grows vigorou	.50 .75 1.00 9'-10'	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes	nabit.
scabra. P 2 3 4 scabra can	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft to 4 ft to 5 ft didissima. Snowflake Deutzia. double white, June. Grows vigorou to 3 ft	.50 .75 1.00 9'-10' isly—c	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00	nabit.
scabra. P 2 3 4 scabra can	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft to 4 ft to 5 ft didissima. Snowflake Deutzia. double white, June. Grows vigorou to 3 ft	.50 .75 1.00 9'-10' usly—c	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50	nabit.
scabra. P 2 3 4 scabra can	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft to 4 ft to 5 ft didissima. Snowflake Deutzia. double white, June. Grows vigorou to 3 ft	.50 .75 1.00 9'-10' usly—c	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00	nabit.
scabra. P  2 3 4 scabra can 2 3 4	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  to 5 ft.  didissima. Snowflake Deutzia.  double white, June. Grows vigorou to 3 ft.  to 4 ft.  to 5 ft.	.50 .75 1.00 9'-10' isly—c .35 .50	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50 6.50	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  to 5 ft.  didissima. Snowflake Deutzia.  double white, June. Grows vigorou  to 3 ft.  to 4 ft.  to 5 ft.  ata, fl. pl. Double Pink Deutzia	.50 .75 1.00 9'-10' isly—c .35 .50	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50 6.50	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 5 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou to 3 ft.  to 4 ft.  to 5 ft.  attack of the didissima of the didissimal of the didissim	.50 .75 1.00 9'-10' isly—c .35 .50 .75	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slig	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 5 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou  to 3 ft.  to 4 ft.  to 5 ft.  ada, fl. pl. Double Pink Deutzia fragrant, June.  to 3 ft.	.50 .75 1.00 9'-10' isly—c .35 .50 .75	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slig	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou  to 3 ft.  to 4 ft.  to 5 ft.  ada, fl. pl. Double Pink Deutzia fragrant, June.  to 3 ft.  to 4 ft.  to 5 ft.	.50 .75 1.00 9'-10' isly—c .35 .50 .75 .6'-	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer  2 3 4 scabra crer	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft	.50 .75 1.00 9'-10' isly—c .35 .50 .75	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slig	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer 2 3 4 vilmorinae.	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  to 5 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou to 3 ft.  to 4 ft.  to 5 ft.  pata, fl. pl. Double Pink Deutzia fragrant, June. to 3 ft.  to 4 ft.  to 4 ft.  to 5 ft.  Vilmorin Deutzia. 4'-5'	.50 .75 1.00 9'-10' isly -0 .35 .50 .75 .50 .75	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer 2 3 4 vilmorinae.	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  to 5 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou  to 3 ft.  to 4 ft.  to 5 ft.  mata, fl. pl. Double Pink Deutzia fragrant, June.  to 3 ft.  to 4 ft.  to 5 ft.  Vilmorin Deutzia. 4'-5'  to 24 in	.50 .75 1.00 9'-10' isly -0 .35 .50 .75 .50 .75	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50 3.00	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer  2 3 4 vilmorinae.	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft. to 4 ft. to 5 ft. Grows vigorou to 3 ft. to 4 ft. to 5 ft. Grows vigorou to 3 ft. to 4 ft. to 5 ft. Grows vigorou to 3 ft. to 4 ft. to 5 ft. Grows vigorou vigor	.50 .75 1.00 9'-10' ssly — c .35 .50 .75 . 6'—	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50	nabit,
scabra. P  2 3 4 scabra can  2 3 4 scabra crer 2 3 4 vilmorinae.	ride of Rochester. 9'-10' Vigoro pink—June. to 3 ft. to 4 ft. to 5 ft. Grows vigorou to 3 ft. to 4 ft. to 5 ft. Grows vigorou to 3 ft. to 4 ft. to 5 ft. Grows vigorou to 3 ft. to 4 ft. to 5 ft. Grows vigorou vigor	.50 .75 1.00 9'-10' ssly — c .35 .50 .75 . 6'- .35 .50	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50 3.00 4.50 6.50	nabit, et. ghtly
scabra. P  2 3 4 scabra can  2 3 4 scabra crer  2 3 4 vilmorinae.	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 5 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou to 3 ft.  to 4 ft.  to 5 ft.  nata, fl. pl. Double Pink Deutzia fragrant, June. to 3 ft.  to 4 ft.  to 5 ft.  2 to 24 in  2 to 2½ ft.  rifida. Dwarf Bush Honeysuckle.	.50 .75 1.00 9'-10' ssly — c .35 .50 .75 . 6'- .35 .50	6.50 rge flower ti 4.50 6.50 9.00 Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50 3.00	nabit, et. ghtly
scabra. P  2 3 4 scabra can  2 3 4 scabra crer  2 3 4 vilmorinae.	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  to 5 ft.  didissima. Snowflake Deutzia.  double white, June. Grows vigorou to 3 ft.  to 5 ft.  nata, fl. pl. Double Pink Deutzia fragrant, June. to 3 ft.  to 5 ft.  vilmorin Deutzia. 4'-5' 8 to 24 in 2 to 2½ ft.  rifida. Dwarf Bush Honeysuckle. A good low shrub for shady places.	.50 .75 1.00 9'-10' ssly — c .35 .50 .75 . 6'- .35 .50	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50 3.00 4.50 6.50	nabit, et. ghtly
scabra. P  2 3 4 scabra can  2 3 4 scabra crer  2 3 4 vilmorinae. 18 DIERVILLA tr	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  to 5 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou to 3 ft.  to 4 ft.  to 5 ft.  nata, fl. pl. Double Pink Deutzia fragrant, June. to 3 ft.  to 4 ft.  to 5 ft.  2 to 2½ ft.  rifida. Dvarf Bush Honeysuckle. A good low shrub for shady places. 2 to 15 in.	.50 .75 1.00 9'-10' .35 .50 .75 .50 .75 .35 .50 .75	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50 3.00 4.50 6.50	nabit, et. ghtly
scabra. P  2 3 4 scabra can  2 3 4 scabra crer  2 3 4 vilmorinae. 18 DIERVILLA tr	ride of Rochester. 9'-10' Vigoro pink—June.  to 3 ft.  to 4 ft.  to 5 ft.  didissima. Snowflake Deutzia. double white, June. Grows vigorou  to 3 ft.  to 4 ft.  to 5 ft.  mata, fl. pl. Double Pink Deutzia fragrant, June.  to 3 ft.  to 4 ft.  to 4 ft.  to 5 ft.  Vilmorin Deutzia. 4'-5'  to 12 ft.  rifida. Dwarf Bush Honeysuckle.  A good low shrub for shady places.  to 15 in.  to 15 in.	.50 .75 1.00 9'-10' isly —c .35 .50 .75 .50 .75	6.50 rge flower ti 4.50 6.50 9.00 ' Graceful hone of the bes 3.00 4.50 6.50 8' Pink, slip 3.00 4.50 6.50 3.00 4.50 6.50	nabit, et. ghtly

PRINCETON, NEW JERSEY	17
Each Per 10	
DIERVILLA sessilifolia (lutea). Southern Bush Honeysuckle. Yellow, more vigorous than preceding, June–July.	4'5'
2 to 3 ft \$ .50 \$4.50	
3 to 4 ft	
ELEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray lea branchlets, orange berries. Good for massing—pref	ives and ers sun.
2 to 3 ft	
3 to 4 ft	
longipes. Cherry Eleagnus. 6'-8' Silvery leaves, fragrant flowers, May. Large red berries ripe July. Good f	yellow or lime-
stone soils.	
18 to 24 in	
EUONYMUS alatus. Winged Euonymus. 9'-10' Interesting cort	
Warm crimson autumn coloring, makes fine specimen	n shrub.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$2\frac{1}{2}$ to $3^{-2}$ ft	
americanus. Brook Euonymus. 7'-8' Pink fruits, prefers mois	t places.
2 to 3 ft	
bungeanus. Winter Euonymus. 12'-14' Good autumn colo	r. The
orange and white seed pods persist for a long time.	
2 to 3 ft35 3.00	
3 to 4 ft	
europaeus. European Burning Bush. 12'-14' Pink fruits	on long
stalks.	011 1011-8
18 to 24 in	
2 to 3 ft	
<b>EXOCHORDA grandiflora.</b> Pearl Bush. 6'-9' Dazzling white May. Is improved by annual pruning—prefers a m	flowers, oist soil.
2 to 3 ft	
2 to 3 ft	
FORSYTHIA intermedia. Border Golden Bell. 6'-8' Bright	vellow
flowers in April before leaves unfold—profuse and b	eautiful.
2 to 3 ft	
3 to 4 ft	
intermedia spectabilis. Showy Border Golden Bell. 6'-8	' Most
profuse of all, with large rich golden yellow flowers.	
2 to 3 ft	
suspensa. Weeping Golden Bell. 4'-6' Graceful droopin.	a hahit
excellent for massing, banks, or hanging over retainir	ig walls.
3 to 4 ft	
4 to 5 ft	1 .
suspensa fortunei. Fortune Golden Bell. 7'-8' Good habit, branches, vigorous growth. Invaluable for shrubbery	arching border.
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	

18	PRINCETON NUNSER	IES PRICE LIST	
		Each Per 1	0
	viridissima. Green Stem I Has green bark—thick, dar		
2	to 3 ft	\$ .50 \$4.5	
3	to 4 ftto 5 ft		Ō
	toria. Woadwaxen. 3'		ower—June.
	ft		
3	ft		
	raptera. Great Silver B shaped flowers in May po be grown as single specime	rofusely borne on brai en or massed.	-white bell- nchlets—can
2	to 3 ft to 4 ft		
	virginiana. Witch Haze		.0.1
	flowers, Oct.–Nov. Good places.	d foliage, best in moist	
	3 to 24 in		
	2 to 3 ft		
_			
	iacus (althea). Rose of S in outline, flowering in Au	igust.	ather formal
	le, red and white, single a		
Amplissima	a. Double red. Jo Double purplish blue. La	oan of Arc. Double v	vhite.
Coerulea.	Doublepurplish blue. La	ady Stanley. Double	pink.
De la Vaux	k. Double red. Si	eboldi. Double pink.	
Elegantissi	ma. Double pink. T	otus albus. Single w	hite.
18	3 to 24 in		
2	to 3 ft		
J	to 4 ft Variegated Rose of Share		
variegata.	Variegatea Rose of Shar	on. 0 -8 Leaves str	
1	½ to 2 ft	75 6.5 1.00 9.0	
HYDRANGEA	arborescens. Smooth Hy	drangea 4'–5' White	
18	to 24 in	4 5 Willio	o, julie-july.
2	3 to 24 in	.75 6.5	0
3	to 4 ft	1.00 9.0	Ö
grandiflora	alba (sterilis). Hill Hyd	rangea. 4'–5' Large	heads pure
	white flowers, june-july.		
18	3 to 24 in	50 4.5	0
2	to 3 ft	75 6.5	
J	to 4 ft	1.00 9.0	
radiata (ni)	vea). Silver Leaf Hydran neath, flowers white, June-	lgea. 4'-5' Leaves v	vnite under-
	to 3 ft		
3	to 4 ft	75 6.5	
	Oak Leaf Hydrangea.		-
	leaf. Splendid autumn col	oring—succeeds in sha	ide.
	Panicle Hydrangea.		nanicles of
panicalata.	white flowers, August. A	graceful, desirable shr	ub.
2			
3	ft	1.00 9.0	0
paniculata	grandiflora. Pegee. 8'-	9' Very showy, bloo	ms August.
2	to 2½ ft	.60 5.5	
2	1½ to 3 ft	.80 7.0	
3	rt	1.00 9.0	O

PRINCETON, NEW JERSEY 1
Each Per 10
HYDRANGEA paniculata grandiflora Standard. Tree Form.
Medium, 3 to 4 ft \$1.25
First class, 3 to 4 ft
HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow, July-Aug
blue-green foliage, dense habit, good for margin of shrubber
18 to 24 in
2 to 2½ ft
densiflorum. Dense Flowered St. Johnswort. 4'-5' Yellow, July Sept. Free flowering—good for sandy soil.
18 to 24 in
18 to 24 in
kalmianum. Kalm St. Johnswort. 4'-5' Blue-green leaves glaucou
underside. Withstands drought, July–Sept.
2 ft
moserianum. Gold Flower. 2' Large yellow flowers, July–Au Dainty, half-herbaceous splendid mass plant.
2 yr., 12 in
2 yr., 12 in
2 yr., 18 in
prolificum. Shrubby St. Johnswort. 2½'-3' A dense shrub—yello flowers profusely borne in July–Sept. Good for rocky soil
18 to 24 in
ILEX verticillata (prinos.) Winterberry. 6'-8' Bright red berries persis
ing to mid-winter—not eaten by birds. Prefers moist soil.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 to 2½ tt
ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers, Jul
Good for low places—brilliant autumn coloring.
18 to 24 in
2 to 3 ft
JASMINUM humile. Italian Jasmine. 3' 1½ to 2 ft
2 to 2½ ft
nudiflorum. Winter Jasmine. 3' Yellow, April-May.
15 to 18 in
18 to 24 in
KERRIA japonica. Japanese Kerria. 4'-5' Golden yellow, June-Sep
Green branches useful for winter effects—graceful habit.
18 to 24 in
2 to 2½ ft
$2\frac{1}{2}$ to 3 ft
form.
18 to 24 in
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
LESPEDEZA bicolor. Bush Clover. 5'-6' Rose and white flower—Jul
Slender graceful shrub—attractive clover-like foliage.
18 to 24 in
2 to 3 ft
formosum (Desmodium penduliflorum.) Purple BushClover. 3'-
Rosy purple flower conspicuous in Sept. Attractive shru
2 yr., 18 to 24 in
2 yr., 2 to 3 ft
5 10 411

20	FININCETON INDICATED IN	TOE LIL	, 1	
		Each	Per 10	Per 100
LICUSTRU	M amurense. Amur Privet. 14'-15'			
LIGOSTROI	18 to 24 in	\$ .25	\$2.00	\$18.00
	2 to 3 ft	.35	5.00	28.00
	2 to 3 ft	.50	4.00	35.00
ciliatum	. Bigberry Privet. 5'-6' Spreading	g habit,	large blac	k berries.
	3 to 4 ft	.50		
	4 to 5 ft	.75		
ibota.	Ibota Privet. 9'-10' Good dense	habit, i	flowers a	and fruits
	freely. Decorative black berries—	-very hai	rdy.	
	18 to 24 in	.25	2.00	18.00
	2 to 3 ft	.35	3.00	25.00
	3 to 4 ft	.50	4.00	35.00
ibota re	gelianum. True Spreading, Regel splendid low dense hedge—also	Privet.	3'-6'	Makes a
	green plantings.	good III	siii ubbei	y or ever-
	15 to 18 in	.35	3.00	25.00
	18 to 24 in	.50	4.50	35.00
	2 to 2½ ft	.75	6.00	50.00
	$\frac{2}{2\frac{1}{2}}$ to $\frac{2\frac{1}{2}}{2}$ ft	1.00	9.00	75.00
Lodense	. Dwarf Privet. 2½' Compact	dwarf f	orm for	hedgings.
	1 yr		4.00	35.00
ovalifoli	um. California Privet. 9'-10'		pular he	dge plant.
	12 to 18 in		1.00	5.00
	$1\frac{1}{2}$ to 2 ft		1.50	8.00
	2 to 3 ft		2.00	
	3 to 4 ft		3.00	15.00
ovalifoli	um. Globe Form—Sheared.			
	10 in. diam	1.00		
	12 in. diam	1.50		
1:6-1:	15 in. diam	2.00		
ovaliioili	um. Pyramidal Form—Sheared.	1.50		
	Medium, 2 ft	1.50 2.00		
ovalifolii	um. Standard, Tree Form—Sheared			
O Turiori	2 yr., 12 in. head, first class			
	3 yr. 15 in. head, extra	2.00		
ovalifoli	um aureum. Golden Privet. 8'-9		s rather	slowly.
	12 to 15 in			5
vulgare.	European Privet. 10'-12' Creamy	vewhite 1	lowers. I	une-July.
	2 to 3 ft	35	3.00	25.00
	3 to 4 ft	.50	4.50	35.00
	2 to 3 ft	.75	6.00	50.00
LONICERA	alberti. Albert Honevsuckle, 2' F	Rose-pinl	k fragran	t flowers,
	May-June-bluish-green leaves, re	ed berries	•	
	15 in	.75	6.50	
bella alb	ida. White Belle Honeysuckle.	8'-9' (	Grows vi	gorously.
	2 to 3 ft	.35	3.00	
	3 to 4 ft	.50	4.50	
	4 to 5 ft	.75	6.50	
tragranti	issima. Winter Honeysuckle. 6'-8	8' Frag	rant whi	te flower,
	April-May. Half-evergreen—grad			ng nabit.
	2 to 3 ft	.50 .75	4.50 6.50	
maacki.	Amur Honeysuckle. 8'-9' Lar			Luna
maacki.	scarlet berries persisting until midv	ge wnite vinter	Liowers	—june—
	2 to 3 ft	.50	4.50	
	3 to 4 ft	.75	6.50	

PRINCETOIN, INEW JERSE! 21
Each Per 10  LONICERA maacki podocarpa. Late Honeysuckle. 8'-9' Smaller
pinkish flowers, better fruit than preceding, holds leaves longer.  2 to 3 ft\$ .35
morrowi. Morrow Honeysuckle. 7'-8' Spreading habit, white—May– June. Red fruits, good foliage. Most desirable.
2 to 3 ft
2 to 3 ft
pileata. Privet Honeysuckle. 2' Dwarf evergreen shrub, needs protection.  1 yr 1.00
ruprechtiana. Manchurian Honeysuckle. 8'-9' Creamy white flowers, June. Berries red sometimes orange.
2 to 3 ft
standishi. Standish Honeysuckle. 4'-5' Blush flowers, fragrant— April. Scarlet fruits, holds foliage well.
18 to 24 in
3 to 4 ft 1.00
syringantha. Lilac Honeysuckle. 3' Small blue-green leaves, laven- der flowers.
$1\frac{1}{2}$ to 2 ft
$\frac{21}{2}$ to $\frac{3}{3}$ ft
tartarica. Tartarian Honeysuckle. (Pink, red and white.) 9'-10' Flowers and fruit freely produced. A most adaptable shrub.
2 to 3 ft50 4.50 3 to 4 ft75 6.50 4 to 5 ft 1.00 9.00
4 to 5 ft
15' to 18 in
15' to 18 in
MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well in poor gravelly soil. Has decorative gray berries persisting all winter.
12 to 15 in
15 to 18 in
18 to 24 in
OXYDENDRON arboreum. Sourwood. 25'-30' Graceful clusters of white flowers-Aug. Good leathery foliage, fine autumn color-
2 to 3 ft
PAVIA macrostachya. (See Aesculus—trees)
PHILADELPHUS avalanche. Avalanche Mock Orange. 3'-4' Graceful arching habit. Blooms profusely.
18 to 24 in
Bouquet blanc. White Bouquet Mock Orange. 3' Low dense habit.  Blooms freely, May-June. Small leaves.
18 to 24 in
3 to 4 ft
2 to 3 ft50 4.50
3 to 4 ft

22	PRINCETON NURSERIES PR	ICE LIST
		Each Per 10
PHILADEL	PHUS coronarius aureus. Golden Dwarf compact form—yellow leav	Leaf Mock Orange. 4'-5'
	12 to 15 in	\$ .50 \$4.50
	15 to 18 in	.75 6.50
	18 to 24 in	1.00 9.00 1.25 11.00
coronar	rius grandiflora. Large Flowering M	
	2 to 3 ft	
	3 to 4 ft	.75 6.50 1.00 9.00
gordon	4 to 5 ft	
gordon	June-July. Slightly fragrant—bloc	oms freely.
	2 to 3 ft	.50 .75
	4 to 5 ft	1.00
lemoine	ei. Lemoine Mock Orange. 4'-5'	Good compact habit, semi-
	double flowers sweetly scented- arching branches.	
	18 to 24 in	.50
	2 to $2\frac{1}{2}$ ft	.75
nivalis.	G	
	2 to 3 ft	.50 .75
nubesce	ens. Hoary Mock Orange. 12'-15' La	
pubesec	2 to 3 ft	
	3 to 4 ft	.75
	4 to 5 ft	
virginal	is. Virginal Mock Orange. 7'-8	Beautiful semi-double
	flowers produced intermittently all	
goub out	2 to $2\frac{1}{2}$ ft	./3
zeyneri.	2 to 3 ft	.50
	3 to 4 ft	.75
PHOTINIA	villosa. Red Berried Photinia. 8'-9' scarlet berries profusely borne in a	Flowers white, June, rich
	2 to 3 ft	.50
	3 to 4 ft	.75
PIERIS man	riana. Stagger Bush. 6'-7' Waxy	white flowers, May-June.
	15 to 18 in	.50
	18 to 24 in	1.00 1.50
POTENTIL	LA fruticosa. Shrubby Cinquefoil.	3'-4' Blooms profusely,
	yellow, June-Sept. A very adapta	
	18 to 24 in	.50
DDIMIC		
PRUNUS m	Purple fruits—splendid subject for s	andy soil or near seashore.
	18 to 24 in	.50
	2 to 3 ft	.75 6.50 1.00 9.00
	4 to 5 ft	1.25 11.00
pissardi	,	
tomento	before leaves appear. A splendid s	s light red, flowers white
	2 to 3 ft	.50 4.50
	3 to 4 ft 4 to 5 ft	.75 6.50 1.00 9.00

F 1 P 10
Each Per 10
PRUNUS triloba plena. Double Flowering Plum. 7'-8' Double pink flowers, April-May. Handsome and useful.
2 to 3 ft
3 to 4 ft
PYRUS arbutifolia. (See Aronia)
RHAMNUS cathartica. Common Buckthorn. 9'-10' Dark green leaves black berries. Valuable background shrub.
2 to 3 ft
3 to 4 ft
4 to 5 ft
2 to 3 ft
3 to 4 ft
4 to 5 ft
RHODOTYPOS kerrioides. Jetbead. 4'-5' Fresh green foliage, pure white
flowers, May-June—shining black bead-like berries all winter
18 to 24 in
2 to 3 ft
4 to 5 ft
RHUS canadensis (aromatica). Fragrant Sumach. 4'-5' Clusters of smal
yellow flowers, April-May. Attractive in June when covered with coral-red fruits. Withstands drought. Aromatic foliage
18 to 24 in
2 to 3 ft
3 to 4 ft
coloring. Showy in poor arid situations—good for massing
12 to 18 in
18 to 24 in
2 to 3 ft
<b>cotinus.</b> Smoke Tree. 10'-12' Purple fringe.  18 to 24 in
2 to 2½ ft 1.25
$2\frac{1}{2}$ to 3 ft
3 to 4 ft
glabra. Smooth Sumach. 10'-12' Crimson fruits in bunches—rich autumn coloring. Thrives in poor soils.
2 to 3 ft
3 to 4 ft
4 to 5 ft
glabra laciniata. Cutleaf Smooth Sumach. 4'-5' Delicately cu
leaves—grows slowly. Striking crimson autumn coloring
18 to 24 in
javanica (osbecki). Java Sumach. 8'-10' Has handsome foliage.
2 to $2\frac{1}{2}$ ft
typhina. Staghorn Sumach. 15'-18' Picturesque habit—brillian autumn effect. Useful for park and general landscape planting
2 to 3 ft
3 to 4 ft
4 to 5 ft
cut giving attractive feathery appearance. Brilliant in autumn
2 to 3 ft50 4.50
3 to 4 ft

24	PRINCETON NURSERIES PRICE	CE LIST	Γ
		Each	Per 10
RIBES odo	ratum (aureum). Golden Currant. flowers in May. Useful for under	7'-8'	Fragrant yellow
	2 to 3 ft	\$ .50	\$4.50 6.50 9.00
ROBINA h	ispida. Rose Acacia. 5'-6' Attractive	e rosy pi	nk flowers, May-
	June. Soon develops into a mass. 18 to 24 in		
	18 to 24 in	.75 1.00	6.50 9.00
ROSA blane	da. Meadow Rose. 4'-5' Pink, May.	Almost t	hornless red bark.
	1½ to 2 ft	.35 .50	
humilis.	. Pasture Rose. 3'-4' Pink, May-J	une.	
	2 yr	.50	
lucida.	Virginia Rose. 5'-6' Pink, June.	Red dec	corative fruits.
	15 to 18 in	.35	3.00
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	.75	6.50
multiflo	ra japonica. Japanese Rose. 9'-10' free flowering and fragrant.	White,	June. Vigorous,
	2 to 3 ft	.50	4.50
*** 1	3 to 4 ft	.75	6.50
nitida.	Bristly Rose. 3'-4' Deep pink, Jubanks and general mass planting—	ine. Go good au	ood for holding tumn coloring.
	15 to 18 in	.35	3.00
	15 to 18 in	.50	4.50
	2 to 2½ ft	./5	6.50
parustri	s (Carolina). Swamp Rose 6'-7' P 15 to 18 in	7111K, IVIA	3.00
	18 to 24 in	.50	4.50
rubigino	osa. Sweet Briar. 5'-6' Bright pi foliage with aromatic odor.		
	18 to 24 in	.50	4.50
vubvifali	2 to 2½ tt	./5	distinct monalish
rubritor	red leaves and bark—good winter s	subject.	distillet purplish-
	18 to 24 in	.50	
rugosa.	Red Rugosa Rose. 4'-5' Handsome: June-Sept. Rich green foliage and	shrub, la	rge pink flowers,
	either in shrubbery border or as hed	lge.	
	1½ to 2 ft	.35	3.00
	2 to 3 ft	.50	4.50 6.50
riidasa			
- mgood t	18 to 24 in	.50 -	4.50
	3 to 4 ft	1.00	9.00
setigera	. Prairie Rose. 5'-6' Deep rose flov		
	18 to 24 in	.35	.3.00
	3 to 4 ft	.50 .75	4.50 6.50
spinosis	sima. Scotch Rose, 3'-4' A daint	v growe	r but compact—
	branches covered with soft thorns—h	as attrac	tive small foliage.
	12 to 15 in	.50	
	15 to 18 in	.75 1.00	

PRINCETON, NEW JERSEY 25
Each Per 10
ROSA wichuriana. Memorial Rose. White. Particularly useful for covering banks or boulders.
2 to 3 ft \$ .50
<b>RUBUS odoratus.</b> Flowering Raspberry. 5'-6' Rose colored fragrant flower produced all summer.—good for covering shady banks.
2 to 3 ft
3 to 4 ft
SAMBUCUS canadensis. American Elder. 8'-9' Fine for swampy places.
Fragrant flowers, June–July, black fruits enjoyed by birds. 2 to 3 ft
3 to 4 ft
4 to 5 ft
2 to 3 ft
3 to 4 ft
canadensis aurea. Golden Elder. 10'–12' Conspicuous yellow foliage.
2 to 3 ft
4 to 5 ft 1.00
<b>pubens.</b> Scarlet Elder. 7'-8' Flowers in April-May. Bright red fruits ripen in June—very attractive.
2 to 3 ft
3 to 4 ft
racemosa. European Red Elder. 7'-8' Bright red berries.
2 to 3 ft
3 to 4 ft
SORBARIA aitchisoni. Kashmir False Spirea. 4'-5' Graceful, com-
pound foliage—flowers creamy white, July–Sept.
3 to 4 ft
4 to 5 ft
18 to 24 in
2 to $2\frac{1}{2}$ ft
June-Aug.
2 to 3 ft
SPIREA arguta. Garland Spirea. 5'-6' Small light green leaves—very
free flowering, May. More vigorous than Thunbergi.
18 to 24 in
2 to 2½ ft
billardi. Billard Spirea. 5'-6' Bright pink fluffy flower spikes, July-Oct. Valuable for dry places.
18 to 24 in
3 to 4 ft
4 to 5 ft 1.00 9.00 bumalda, Bumalda Spirea, 3' Light pink flower, July-Sept. A
<b>bumalda.</b> Bumalda Spirea. 3' Light pink flower, July-Sept. A good "facing" shrub.
18 to 24 in
2 to 2½ ft

20	FRINCETON NORSERIES FRI	GB BID I
SPIREA bui	malda Anthony Waterer. Waterer pink than preceding—very free flow 12 to 15 in	wering all summer. \$ .35 \$3.00
bumalda	a froebeli. Froebel Spirea. 4' Sin than preceding. Flowers are lighter	nilar to but more vigorous
	18 to 24 in	35
fortunei	(callosa rosea). Fortune Spirea. Si vigorous form of following varial leaves red.  2 to 2½ ft	Pink flowering-more
japonica	(callosa). Japanese Spirea. 3' Wi green foliage when young. Bloom	nite, June-July. Purplish-
	12 to 15 in	.35 .50 .75
nipponic	ca rotundifolia. Big Nippon Spire good dark green leaves persisting til	a. 8'-9' White, June— Il late fall.
	18 to 24 in	.50 4.50 .75 6.50
opulifoli	<ul> <li>a. Ninebark. 9'-10' Creamy white for shade.</li> </ul>	e, June. Vigorous, good
	2 to 3 ft	.35 3.00 .50 4.50 .75 6.50
opulifoli	a aurea. Goldleaf Ninebark. 9'-16	
	2 to 3 ft	.35 3.00 .50 4.50 .75 6.50
prunifoli	a. Bridal-Wreath. 7'-8' White, handsome dark green foliage turnir	ng orange in autumn.
	2 to 3 ft	.50 4.50 .75 6.50 1.00 9.00
reevesiar	na. Reeves Spirea. 7'-8' Pure wh arching habit—retains leaves till late	
	2 to 3 ft	./5 6.50
thunberg	gi. Thunberg Spirea. 4'-5' Slender with pure-white flowers, April-Ma green leaves. Valuable for seaside p	y. Small feathery light planting.
	12 to 18 in	.35 3.00 .50 4.50 .75 6.50 1.00 9.00 1.25 11.00
tomento	sa. Hardhack, 3'-4' Wooly rose Leaves brownish underside—good in	pink flowers, July–Sept. n masses for low ground.
	18 to 24 in	.35 3.00 .50 4.50 .75 6.50

PRINCETON, NEW JERSEY 27
Each Per 10
SPIREA van houttei. Van Houtte Spirea. 8'-9' White, May-June. Graceful habit—extremely free flowering and very adaptable.
2 to 2½ ft
$\frac{21}{2}$ to $\frac{3}{5}$ ft
3 to 4 ft
4 to 5 ft 1.00 9.00
STAPHYLEA colchica. Colchis Bladder Nut. 10' 12' Flowers white, May-June. Fragrant—decorative seed pods.
2 to 3 ft 1.00
3 to 4 ft 1.25
4 to 5 ft 1.50
STEPHANANDRA flexuosa. Cutleaf Stephanandra. 5'-6' Graceful
compact habit—handsome foliage, similar to small maple-leaf.
18 to 24 in
2 to 3 ft
3 to 4 ft
STYRAX japonica. Japanese Storax. 12'-15' White bell-shaped pen-
dant flowers, June-July. Makes a handsome specimen.
18 to 24 in
2 to 3 ft
3 to 4 ft
SYMPHORICARPOS racemosus. Snowberry. 5'-6' Conspicuous
white berries, attractive foliage—best in half shady moist locations.
18 to 24 in
2 to 3 ft
3 to 4 ft
4 ft 1.00 9.00
vulgaris. Coralberry. 4'-5' More compact than preceeding. Coral red berries persisting throughout winter—for shady dry spots.
18 to 24 in
2 to 3 ft
3 to 4 ft
4 ft
SYRINGA chinensis (rothomagensis). Chinese Lilac. 8'-9' Slender branches, graceful. Violet flowers in May—free flowering.
18 to 24 in
2 to 3 ft
3 to 4 ft
chinensis saugeana. Purple Chinese Lilac. 8'-9' Deep purple flowers.
18 to 24 in
2 to 3 ft
japonica. Japanese Tree Lilac. 18'-20' Loose bunches creamy white flowers, June-July. Handsome foliage.
18 to 24 in
2 to 3 ft
3 to 4 ft
josikaea. Hungarian Lilac. 9'-10' Violet flowers, June. Has good deep green rough foliage.
18 to 24 in
2 to 3 ft
3 to 4 ft
pekinensis. Peking Lilac. 12'-15' Creamy white flowers, June.
Handsome foliage until late autumn. Grows quickly.
2 ft

28 PRINCETON NURSERIES PRI	CE LIST
SYRINGA persica. Persian Lilac. 9'-10' Bloom	Each Per 10 s freely—lilac, May-June.
2 to 3 ft	\$ .50 \$4.50 .75 6.50
persica alba. White Persian Lilac. 9'-10'	1.00 9.00
18 to 24 in	.75 1.00
villosa. Late Lilac. 7'-8' Pale pinkish-lilac, J	une. Fragrant—compact.
18 to 24 in	.50 4.50
2 to 3 ft	.75 6.50 1.00 9.00
	Blooms in early May.
18 to 24 in	.40 3.50
2 to 3 ft 3 to 4 ft	.60 5.00 .80 7.00
4 to 5 ft	1.00
vulgaris alba. Common White Lilac. 10'-	
18 to 24 in 2 to 3 ft	.50 4.50 .75 6.50
3 to 4 ft	1.00 9.00
Alphonse Lavalle. Double light purple. (ow	
18 to 24 in 2 to 2½ ft	.75 1.00
3 ft	1.25
	(own roots)
18 to 24 in 2 to 2½ ft	.75 1.00
2½ ft	1.25
Michel Buchner. Double lilac. (own roots)	
18 to 24 in	.75 1.00
$\frac{2}{2}$ to $\frac{2}{2}$ ft	1.25
3 ft	1.50
Marie LeGraye. Single white. (own roots)	75
18 to 24 in	.75 1.00
3 ft	1.25
Mme. Lemoine. Double white. (own roots)	7.5
18 to 24 in	.75 1.00
3 ft	1.25
Mme. Casimir Perrier. Double white. (own	
18 to 24 in 2 to 2½ ft	.75 1.00
3 ft	1.25
President Grevy. Double blue. (own roots)	
18 to 24 in	.75 1.00
3 ft	1.25
Rubra DeMarly. Single, light blue. (own room	
18 to 24 in	.75 1.00
3 ft	1.25
Ludwig Spaeth. Single, reddish purple. (own	n roots)
18 to 24 in	.75
2 to 2½ ft 3 ft	1.00

Each Per 10
SYRINGA Wm. Robinson. Double, violet pink. (own roots)
18 to 24 in \$.75 2 to 2½ ft
TAMARIX africana. African Tamarix. 12'-14' Pink, April-May. Feathery
gray-green foliage. Effective near water—thrives at seashore.
2 to 3 ft
3 to 4 ft
gallica. French Tamarix. 8'-9' Lt. pink, May-July; blue-green foliage.
2 to 3 ft
3 to 4 ft
pentandra (aestivalis). Five Stamen Tamarix. 10'–12' Deep rose flowers late.
2 to 3 ft
3 to 4 ft
VACCINIUM corymbosum. Highbush Blueberry. 5'-6'
$1\frac{1}{2}$ to 2 ft
VIBURNUM acerifolum, Maple Leaved Viburnum. 4'-5' White, May— June. Black fruits, maple-like leaves turning purple in autumn—good for dry shady places.
18 in
2 ft
americanum (oxycoccus). American Cranberry Bush. 8'-9' Bright scarlet berries in large bunches persisting all winter.
bearier bernes in large barrenes personning an orinter
18 to 24 in
18 to 24 in       .50         2 to 3 ft       .75         cassinoides. Witherod. 5'-6' White, June–July. Berries pink changing to dark blue. Rich autumn coloring—splendid for massing.         18 to 24 in       .50         2 to 3 ft       .75         3 to 4 ft       1.00         9.00         dentatum       Arrow Wood. 10'-12' White, May–June. Berries blue-black, autumn coloring purple and red—thrives in wet soil.         2 to 3 ft       .50         3 to 4 ft       .75         6.50         3 to 4 ft       .75         6.50         dilatatum.       Linden Viburnum. 8'-9' White, May–June. Scarlet showy berries persisting. Handsome and valuable.         18 to 24 in       .50         2 to 3 ft       .75         6.50         3 to 4 ft       .75
18 to 24 in       .50         2 to 3 ft       .75         cassinoides. Witherod. 5'-6' White, June-July. Berries pink changing to dark blue. Rich autumn coloring—splendid for massing.         18 to 24 in       .50         2 to 3 ft       .75         3 to 4 ft       1.00         2 to 3 ft       .50         4.50       2.00         dentatum       Arrow Wood. 10'-12' White, May-June. Berries blue-black, autumn coloring purple and red—thrives in wet soil.         2 to 3 ft       .50         3 to 4 ft       .75         6.50         3 to 4 ft       .75         4.50         2 to 3 ft       .75         5.0       4.50         2 to 3 ft       .50         4.50       2 to 3 ft         2 to 3 ft       .50         3 to 4 ft       .50         4.50       2 to 3 ft         2 to 3 ft       .75         6.50         3 to 4 ft       1.00         9.00         lantana. Wayfaring Tree. 15'-18' White, May-June. Handsome dark green wrinkled leaves. Berries red, changing to black.
18 to 24 in       .50         2 to 3 ft       .75         cassinoides. Witherod. 5'-6' White, June–July. Berries pink changing to dark blue. Rich autumn coloring—splendid for massing.         18 to 24 in       .50         2 to 3 ft       .75         3 to 4 ft       1.00         9.00         dentatum       Arrow Wood. 10'-12' White, May–June. Berries blue-black, autumn coloring purple and red—thrives in wet soil.         2 to 3 ft       .50         3 to 4 ft       .75         6.50         3 to 4 ft       .75         6.50         dilatatum.       Linden Viburnum. 8'-9' White, May–June. Scarlet showy berries persisting. Handsome and valuable.         18 to 24 in       .50         2 to 3 ft       .75         6.50         3 to 4 ft       .75
18 to 24 in       .50         2 to 3 ft       .75         cassinoides. Witherod. 5'-6' White, June-July. Berries pink changing to dark blue. Rich autumn coloring—splendid for massing.         18 to 24 in       .50       4.50         2 to 3 ft       .75       6.50         3 to 4 ft       1.00       9.00         dentatum Arrow Wood. 10'-12' White, May-June. Berries blue-black, autumn coloring purple and red—thrives in wet soil.         2 to 3 ft       .50       4.50         3 to 4 ft       .75       6.50         dilatatum. Linden Viburnum. 8'-9' White, May-June. Scarlet showy berries persisting. Handsome and valuable.         18 to 24 in       .50       4.50         2 to 3 ft       .75       6.50         3 to 4 ft       1.00       9.00         lantana. Wayfaring Tree. 15'-18' White, May-June. Handsome dark green wrinkled leaves. Berries red, changing to black.         18 to 24 in       .50       4.50         2 to 3 ft       .75       6.50         3 to 4 ft       .75       6.50
18 to 24 in
18 to 24 in
18 to 24 in

Each Per 10 VIBURNUM lentago. Nannyberry. 18'-20' White, May-June. Handsome shining leaves. Blue-black fruits. Splendid for massing. \$4.50 .75 2 to 3 ft ...... 6.50 3 to 4 ft ..... 1.00 9.00 4 to 5 ft..... 1.25 Kentucky Viburnum. 10'-12' Larger, darker green leaves, but otherwise similar to "dentatum." 4.50 .75 6.50 1.00 9.00 Smooth Witherod. 7'-8' Thick leathery shining leaves. nudum. Creamy flowers, June-July. Berries pink, changing to blue-black. 18 to 24 in..... .75 1.00 2 to 3 ft..... European Cranberry. 9'-10' Similar to American Cranberry but has smaller leaves and fruit. 2 to 3 ft..... 3 to 4 ft..... 1.00 opulus sterile. Common Snowball. 9'-10' Has showy round head of white flowers, May-June. No fruits are produced. 15 to 18 in..... .50 2 to 3 ft ..... opulus nanum. Dwarf Cranberry. 1½'-2' Useful edging or facing .35 3.00 4.50 .50 .75 6.50 pubescens. Downy Viburnum. 8'-10' .50 12 to 15 in..... 1.00 15 to 18 in..... 18 to 24 in..... prunifolium. Black Haw. 10'-12' Pure white flowers, April-June. Blue-black glaucous berries. Sturdy habit. Handsome shrub. 18 to 24 in .... .75 2 to 2½ ft..... 1.00 sieboldi. Siebold Viburnum. 9'-10' White, May-June. Berries pink, changing to black. Handsome large dark green leaves. .50 4.50 18 to 24 in..... 2 to 3 ft ..... .75 6.50 9.00 1.00 1.25 11.00 tomentosum. Doublefile Viburnum. 7'-8' Flat heads of white flowers, June. Berries red to black. Good foliage. .75 2 to 3 ft ..... 3 to 4 ft..... 1.00 4 to 5 ft..... 1.25 tomentosum plicatum. Japanese Snowball. 7'-8' Showy white flowers in balls, June. Handsome foliage, purple in autumn. 1.50 4 ft ..... tomentosum plicatum standard. Tree form.

3 to 4 ft.....

2.00

Each Per 10				
VITEX agnus castus. Chaste Tree. 4'-5' Dainty shrub—lilac flowers, Aug.—Sept. Gray-green star-shaped leaves—prefers sun.				
18 to 24 in \$ .50				
WEIGELA Abel carriere. Carrier Weigela. 8'-9' Red, yellow throat, June.  3 to 4 ft				
amabilis. Rose Weigela. 7'-8' Light Pink.				
2 to 3 ft				
3 to 4 ft				
4 to 5 ft				
candida. White Weigela. 7'-8' Large pure white flowers.				
2 to 3 ft				
4 to 5 ft				
<b>Desbois.</b> Desbois Weigela. 6'-7' Deep rose—flowers profusely.				
2 to 3 ft				
3 to 4 ft				
Eva Rathke. Red Flowering Weigela. 4'-5' Carmine, June-Aug. Most floriferous.				
1½ to 2 ft.       .50 \$4.50         2 to 2½ ft.       .60 5.50         2½ to 3 ft.       .80 7.00         3 ft.       1.00				
2 to 2½ ft				
3 ft				
floribunda. Crimson Weigela. 7'-8' Crimson, June. Free flowering.				
2 to 3 ft				
3 to 4 ft				
Lavalle. Lavalle Weigela. 7'-8' Bright Crimson,				
Lavalle. Lavalle Weigela. 7'-8' Bright Crimson.  2 to 3 ft				
nana variegata. Variegated Leaf Weigela. 4'-5' Pale pink flower, variegated leaves—dwarf compact growth.				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
2 to 2½ ft				
rosea. Pink Weigela. 7'-8' Showy pink flowers freely produced,				
June. Vigorous grower.				
2 to 3 ft				
3 to 4 ft				
4 ft 1.00 9.00				
steltzneri. Steltzner Weigela. 6'-7' Dark rose-very profuse.				
2 to 3 ft				
Van Houtte.         Van Houtte Weigela.         7'-8'         Carmine.           2 to 3 ft				
3 to 4 ft				
ZANTHORHIZA apiifolia. Yellowroot. 2'-3' Good ground cover—will				
succeed on dry sandy soil, banks etc.				
12 to 15 in				
15 to 18 in				

#### **Bush Roses**

H. P. indicates Hybrid Perpetual or June Rose.H. T. indicates Monthly Blooming Rose.

75c. Each.

Augustus Hartman, H. T., red. Columbia, H. T., dark pink. Constance, H. T., yellow. Crimson Queen, H. T., red. Dora Hansen, H. T., lt. pink. Duchess of Wellington, H. T., yel. Etoile de France, H. T., red. Florence Pemberton, H.T., lt.pink. Frau Karl Druschki, H. P., white. Gen. McArthur, H. T., red. George Ahrends, H. P., It. pink. George C. Waud, H. T., red. Gruss an Teplitz, H. T., red. Gustav Grunevald, H.T., dark pink. Harry Kirk, H. T., yellow. Hoosier Beauty, red. H. V. Machin, H. T., red. Jonkheer J. L. Mock, H.T., dk. pink. Kaiserine A. Victoria, H.T., white. Killarney Queen, H. T., dark pink. Lady Alice Stanley, H.T., dk. pink. Lady Hillingdon, H. T., yellow. Lady Pirrie, H. T., yellow shaded pink. Lady Ursula, H. T., lt. pink. La Tosca, H. T., lt. pink. Los Angeles, H. T., yellow shaded pink. Louis Catherine Breslau, H. T., yellow shaded pink.

Mad. Butterfly, H. T., lt. pink.

Mad. C. Testout, H. T., dark pink.

Mad. Edmee Metz, H. T., lt. pink.

Mad. Jules Bouche, H. T., white. Madam Ravary, H. T., yellow. Milady, H. T. red. Magna Charta, H. P., dark pink. Miss Cynthia Forde, H.T., dk.pink. Miss Lolita Armour, H. T., yellow shaded pink. Mrs. Aaron Ward, H. T., yellow. Mrs. A. R. Waddell, H. T., yellow shaded pink. Mrs. Charles Russell, H.T., dk.pink. Mrs. John Laing, H. P., dark pink. Mrs. W. C. Miller, H. T., dk. pink. Ophelia, H. T., lt. pink. Paul Neyron, H. P., dark pink. Radiance, H. T., dark pink. Red Radiance, H. T., red. Souv. de C. Pernet, H., T., yellow. \$1.50 each. Ulrich Brunner, H. P., red.

Mad. E. Herriot, H. T., yellow

shaded pink.

# White Killarney, H. T., white. Baby Ramblers

Edith Cavell, Crimson. Ellen Poulsen, Pink. Geo. Elgar, Yellow. Mrs. Cutbush, Pink. Orleans, Red. White Baby Rambler. Red Baby Rambler. Lafayette, Red.

### Climbing Roses

9	Each	Per 10	
American pillar. Single red, white center.			
18 to 24 in	\$ .50	4.50	
2 to 3 ft	.75	6.50	
Crimson rambler. Crimson.			
18 to 24 in	.50	4.50	
2 to 3 ft	.75	6.50	
Dr. Van Fleet. Shell Pink.			
18 to 24 in	.50	4.50	
2 to 3 ft	.75	6.50	
3 to 4 ft	1.00	9.00	
Dorothy Perkins. Pink.			
18 to 24 in	.50	4.50	
2 to 3 ft	.75	6.50	
3 to 4 ft	1.00	9.00	

	PRINCETON, NEW JE	ERSEY		33
		Each	Per 10	
CLIMBING	ROSES—Continued			
Dorothy	Perkins. White.			
	18 to 24 in	. \$ .50	\$4.50	
	2 to 3 ft		6.50 9.00	
Evaclas	Crimson,	. 1.00	9.00	
Exceisa.	18 to 24 in	50	4.50	
	2 to 3 ft		6.50	
	3 to 4 ft		9.00	
Gardenia	a. Yellow.			
	2 to 3 ft		6.50	
	3 to 4 ft		9.00	
Hiawath	a. Single red. 2 to 3 ft	7.5	( 50	
	3 to 4 ft	75	6.50 9.00	
Daul'e e	carlet climber. Large brilliant sca		2,00	
raui s sc	18 to 24 in		6.50	
Silver m	oon. Semi-double white.	. ,,,	0.00	
Onver in	18 to 24 in	50	4.50	
	2 to 3 ft	75	6.50	
	3 to 4 ft	1.00	9.00	
	T 74			
	Vines			
ACTINIDIA	arguta. Bower Actinidia. 20	'-30' Gre	enish wh	ite. Iuly.
11011111111111	Rich dark green foliage—yellow			ic, jaiji
	18 to 24 in	\$ .75		
AKEBIA qui	nata. Fiveleaf Akebia. 15'–20' flower, May. Deep green leave	Dainty be		
	2 yr			
	3 yr	1.00	9.00	
AMPELOPS	IS engelmanni. Engelmann Cr clinging woodbine—very hardy	eeper. 30	′-40′ A g	good self
	2 yr	50	4.50	
	2 yr	75	6.50	
quinquef	olia. Virginia Creeper. 30'–50		ole for ri	ch fiery
	autumn coloring.			
	2 yr		4.50	
	3 yr. extra		6.50	
veitchi.	Japanese Creeper. 40'-50' Br			ng, blue
	berries turning black—closely se	0 0	•	
	1 yr	50	4.50	
	2 yr	75	6.50	
BIGNONIA	radicans. Trumpet Vine. 20'- flowers—scarlet and orange, Jul	-30' Show	y trumpe	t shaped
				S.
	1 yr	35	3.00 4.50	
	2 yr	75	6.50	
CELASTRUS	S orbiculata (articulata). Oriente	al Rittareu		20' Has
CELASTRO	decorative orange and crimson			
	2 yr		4.50	
	3 yr		6.50	
	3 yr. extra		9.00	
scandens			daptable v	ine, with
	orange and red berries that reta			
	2 yr	.50	4.50	
	3 yr	75	6.50	
	3 yr. extra		9.00	

34	PRINCETON NURSERIES PRICE LIST		
	Each Per 10		
CLEMATIS	Spaniculata. Sweet Autumn Clematis. 20'-30' White fragrant flowers, Sept. Wooly seed pods also attractive.		
	2 vr \$ .50 \$4.50		
	2 yr. extra		
EUONYMU	JS. (See Evergreens)		
	nelix. English Ivy. 20'-50' Evergreen—good ground cover in shade.		
	1 yr		
LONICERA	2 yr		
	Rapid grower and blooms freely from June to Sept. Useful for covering steep banks. Almost evergreen.		
	2 yr		
211402	2 yr		
aurea.	golden vellow.		
	2 yr		
halliana	<ul> <li>Hall Japanese Honeysuckle. 15'-25' Grows rampantly. Blooms freely, deliciously fragrant.</li> </ul>		
	2 yr		
h o alemost	3 yr		
пескто	side, yellow inside, July-Sept.		
	2 yr		
semper	virens. Trumpet Honeysuckle. 15'–20' Bright scarlet showy flowers, July–Sept.		
	2 yr		
LVCIUM b	arbarum. Matrimony Vine. 10'-12' Violet flowers in June,		
LICIOII D	followed by bright red fruits. For banks or retaining walls.		
	18 to 24 in		
chinensis. Chinese Matrimony Vine. 12'-15' More vigorous and			
	fruitful than preceding, otherwise similar in habit.		
	18 to 24 in		
PUERARIA	A thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. Purple flowers in August.		
	1 yr		
VITIS labru	usca. Fox Grape. 20'–30' Handsome foliage with splendid		
	autumn effect. Will quickly cover boulders or banks.		
	2 to 3 ft		
WISTARIA	multijuga. Long Cluster Wistaria. 40'-50' Deep blue long		
	clusters, May. Seen to best advantage when trained on old trees or open trellises.		
	18 to 24 in		
sinensis			
	week before preceding.		
	2 to 3 ft		
sinensis	s alba. White Chinese Wistaria. 40'-50'		
	18 in		

## Conifers and Evergreens

These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. All bailed and burlapped at the prices named, except where marked with a \*\*

Each

ABIES cephalonica. Greek Fir. 60'-75' Has stiff shining dark green leaves. Handsome symmetrical specimen.

2 ft ...... \$5.00

concolor. White Fir. 70'-80' Grows quickly and forms symmetrical beautiful specimen. Large gray-green needles.

18	in	3.00
2	ft	4.50
21/2	ft	6.00
3	ft	7.50

douglasi (pseudotsuga). Douglas Fir. 70'-80' Very hardy—dark bluish-green coloring. Prefers well drained situation.

2	ft	 3.50
21/2	ft	 4.50
3	ft	 6.00
4	ft	 8.00
5	ft	 10.00

**nordmanniana.** *Nordmann Fir.* 60'-70' Grows slowly when young. Flat leaves, rich shining green above, silvery white beneath.

ANDROMEDA catesbaei (See Leucothoe and Pieris)

AZALEA amoena. Japanese Azalea. 2½′-3′ Conspicuous purple-red flowers, April-May. Leaves turn rich bronze-green in winter.

		8 in.**	1.00
8	to	10 in.**	1.25
10	to	12 in	1.75
12	in		2.00
15	in		2.50

hinodegiri. Red Japanese Azalea. (Pot Grown) 3'-4' Larger leaves and looser growth than above, flowers very bright carmine-pink—effective in masses or with Rhododendron

6	to 8 in.**	1.25
8	to 10 in	1.50
0	in	2.00
2	in	2.50

kaempferi. (See Shrubs)

**BERBERIS** ilicifolia. Hollyleaf Barberry. 5'-6' Holly-like leaves persisting till new foliage appears—flowers yellow.

15	to	18	in	1.00
18	to	24	in	1.25
2	to	21/2	ft	1.50
21/	to	3	ft	2.00

BIOTA orientalis. Oriental Arborvitae. 20'-25' Rather stiff columnar habit, bright green foliage, bronze in winter, good accent plant.

11/	ft	1.50
$\frac{1}{2}^{2}$	ft	2.00
21/2	ft	3.00
	ft	4.50
	ft	6.00
5	f+	8.00

36	PRINCETON NURSERIES	TITICE EIDT
BIOTA orienta	alis aurea conspicua. Goldsp golden yellow in spring, bron: upright growth.	Each Per 10 ire Arborvitae. 7'–8' Bright ze yellow in winter. Narrow
2	5 in	3.00 4.00 5.00
1:	compacta. Siebold Arborvii oval-shaped specimen. Good 2 in	tae. 3'-4' Forms a compact fresh green color 1.50 2.00
1.	elegantissima. Yellow Colum rich deep golden bronze color i 5 in	n winter. Compact, columnar. 2.00 3.00 4.00
orientalis r	for dwarf planting—compact yellow foliage. Especially good to 8 in 8 to 10 in 0 to 12 in 5 in 8 in 8 in	1 Arborvitae. 2½'-3' A gem roundish shape, warm golden d for formal work and edging. 1.00 \$9.00 1.50 13.50 2.00 18.00 2.50 22.50 3.00 4.00
1	Rosedale Arborvitae. 3'-4' 8 in 2 ft	2.50 3.50
1 1 1 1 1 1	8 to 10 in.** bushy 0 in. ** " 2 in. ** " 5 in. " 8 in. " 8 in., sheared 2 ft., sheared clipped)	50 4.50 75 6.50 1.00 9.00 1.50 13.50 2.50 22.50 5.00
1 1 2 <b>Pyramidal</b> 2 2	6 to 18 in	10.00 12.50 8.50 10.00
suffruticos	2 to 36 ina. True Dwarf Box. 3'-4'	Extensively used for edging. Per 10 Per 100
1	4 in. ** 6 in. ** 8 in. ** 0 in. **	3.00 20.00 60 5.00 30.00 1.00 8.00 50.00 1.50 13.50
	Scotch Heather. 1'-2' A spl Best in large masses on well-d	lendid evergreen ground cover. Irained slopes.
vulgaris al vulgaris al vulgaris ca	porti. Alport Heather. 8 to Deep rose.	o 8 in.** .35 o 10 in.** .50 o 12 in.** .75

FRINCETON, NEW JERSET
CHAMAEDAPHNE calyculata. Leatherleaf. 3'-4' White flowers April. Leaves persist throughout winter. Attractive, usefu
12 to 15 in
COTONEASTER acutifolia. 5'-6'
2 ft
horizontalis davidiana. Rock Cotoneaster. 1'-1½' Small box-li leaves, bright red berries. Effective among rocks.
10 in 1.00
12 in
microphylla. Rockspray. 1½'-2' Very small leaves, very de green. Rather more bushy than preceding.
12 in 1.00
15 in
<b>simonsi.</b> $6'-8'$ Almost evergreen. Rather loose habit.
2 ft
CRYPTOMERIA lobbi compacta. Cave Cryptomeria. 15'-20' Form
narrow irregular column—compact and picturesque. Ric winter color, bronze-green. Prefers moist well-drained locatio
18 in
2½ ft
DAPHNE cneorum. Rose Daphne. 1' Grav-green foliage—low spreadin
Pretty pink flowers in April-May. Delightful fragrance.  10 in
EUONYMOUS japonicus. Japanese Euonymus. 5'-6' Lustrous dec
green leaves. Upright bushy habit. Needs winter protectio 8 to 10 in**
patens (sieboldianus.) Spreading Euonymus. 6'-8' Vigorous growe
forming broad, rather loose shrub, leaves persisting until la winter. Ornamental fruits. Effective among denser conifer
12 in.**
2 ft. 1.50
radicans. Wintercreeper. Climbing to 15 ft. Self-clinging vine. Good for covering low walls, also useful for under planting.  8 to 12 in.** 2 yr., bushy35 \$3.00 12 to 15 in.** " "50 4.50
12 to 15 in.** " "50 4.50 radicans acutus. Sharpleaf Wintercreeper. A graceful form wi
long, parrow leaves, white veins purplish underneath
15 in., 2 yr.**
15 in., 2 yr.**
12 to 15 in.** 2 yr
radicans minimus. Baby Wintercreeper. 2'-3' Has tiny evergree
leaves aud a dainty trailing habit. Charming rock subject. 6 to 8 in
radicans variegatus. Variegated Wintercreeper. Leaves veined an
marked yellowish white and pink. Clinging vine. 8 to 12 in.** 2 yr., bushy35 3.00 12 to 15 in.** 3 yr., "50 4.50
12 10 10 111 0 911, 100 1100

Each Per 1C EUONYMOUS radicans vegetus. Bigleaf Wintercreeper. 3'-4' Bushy interesting growth. Leaves round, dull green. Bright scarlet fruits freely produced. Handsome among evergreens. radicans vegetus. (Grown from seedlings). Does not fruit so freely. \*\* .35 3.00 2 yr. 3 yr. .50 4.50 ILEX crenata. Japanese Holly. 8'-10' Box-like leaves, rich deep green and leathery. Stiff, branching—a good hedge. Black berries. 2.00 in ..... 18 3.00 4.00 crenata microphylla. Small Leaf Japanese Holly. 6'-8' Smaller leaves and more hardy than preceding. More compact habit. 2.00 in ..... 18 3.00 in ...... 4.50 ft.. ..... 2½ ft..... 6.00 8.50 ft.. ..... 10.00 Inkberry. 5'-6' Shining dark green leaves purplish in winter. Black berries. Useful for shady spots, also succeeds in sun. glabra. 1.50 15 in ..... 2.00 American Holly. 25'-30' Does best in moist partially shaded opaca. place. Rather difficult to transplant. 2 ft...... 3.50 4.50 2½ ft..... 6.00 3 ft. 3½ ft. 7.50 ft..... 10.00 JUNIPERUS canadensis. (See Communis.) chinensis. Chinese Juniper. 15'-20' Formal columnar outline, graygreen foliage of two types. 18 in ..... 2.50 2 ft..... 3.50 2½ ft..... 5.00 chinensis albo variegata. White Leaf Chinese Juniper. 6'-8' Light glaucous foliage with creamy branches interspersed. Formal but useful in low plantings. 12 in ..... 2.00 15 in..... 2.50 18 in..... 3.50 2 ft ..... 5.00 chinensis columnaris. Columnar Chinese Juniper. Grows rapidly, forming tall, narrow column of gray-green foliage. Spirelike effect. Very useful in evergreen planting. 2 ft..... 4.50 2½ ft.... 6.CO 7.50 chinensis neaboriensis. Conical Chinese Juniper. 7'-8' Very formal narrow pyramid. Prickly leaves. Useful accent plant. in ..... 2.00 2 ft..... 3.00 2½ ft..... 4.00 ft..... 6.00

PRINCETON, NEW JERSEY	39
Each Per 10	
JNIPERUS chinensis oblonga. 7'-8' Forms broad irregular pyr feathery branches. Grayish foliage shaded purple	
15 in	
2 ft 3.50	
2½ ft 5.00	
3 ft	1. 1.15
chinensis pfitzeriana. Pfitzer Juniper. 5'-6' Broad bus Gray-green foliage giving feathery appearance. adaptable hardy evergreen, highly recommended. 15 in 2.00 1½ ft 3.00 2 ft 4.00	A most
2½ ft	
3 ft	
chinensis sargenti. Sargent Juniper. 1½' Prostrate habi green foliage. A valuable ground cover and rock	t. Grass- plant.
10 to 12 in	
15 to 18 in 5.00	
communis. Common Juniper. 2'-21/2' Forms a vase-sha	ped bush.
12 to 15 in	
18 to 24 in	
2 ft 3.50	
communis aurea. Golden Common Juniper. 1'-1½' Low habit. Golden foliage, particularly bright in spring 12 in 1.75	spreading ;•
15 in	
communis canadensis. Canada Juniper. 2½'-3' Forms	low vase-
shaped bush. Leaves dark green above, bluish be	neath.
15 in	
18 in 3.00	
communis cracovica. Polish Juniper. 4'-5' Upright, from ground, making very narrow column.	branching
10 in 1.25	
12 in	
15 in	
communis hibernica. Irish Juniper. 7'-8' A very narrow Useful for its spire-like effect.	pyramid.
12 in 1.00	
15 in	
18 in	
communis depressa (prostrata.) Prostrate Common Juniper Branches spread almost along ground—a useful gro	$r.$ $l'$ – $l\frac{1}{2}'$ und cover
and rock plant.	
12 in	
18 in	
2 ft	
2½ ft	oit to Irish
18 in 2.25	
2 ft	
	A narrow
compact column of slow growth.	
15 in 2.00	
18 in 3.00	

40	PRINCETON NURSERIES PR	RICE LIST
		Each Per 10
JUNIPERUS	S conferta (litoralis). Shore Junipe useful on sandy places or seaside	er. $1'-1\frac{1}{2}$ Prostrate habit,
	15 in	\$1.75
excelsa	stricta. Spiny Greek Juniper. 4 pyramid. Foliage gray-green, Mc 10 in	2'-5' Compact, well-shaped out useful for formal effects. 1.50 2.00
	12 in 15 in 18 in 2 ft	2.75 3.50 5.00
horizon	talis (sabina prostrata). Creeping trail along ground. Good for rock	work and ground covering.
	15 in 18 in 2 ft 2½ ft	2.00 2.75 3.50 5.00
horizon	talis douglasi. Waukegan Junipe trailing along ground. Steely-blue cover, also effective among rock. I 12 in	e foliage. A splendid ground. Distinct purple hue in winter.
	15 in	3.00 4.00
japonica	a. Japanese Juniper. 3'-4' Low dark green scaly leaves. Adapted 8 to 10 in	grower, spreading branches, l to rock planting. 1.50
japonica	a aurea variegata. Golden Var Useful for low plantings.	
	12 in	3.00
sabina.	Savin. 6'-7' Dense dark green forming irregular vase-shaped bus	sh.
	10 in 12 in 15 in 18 in	1.25 2.00 2.75 3.50
sabina	2 fttamariscifolia. Tamarix Juniper	5.00
	making compact but soft texture 10 to 12 in	
	12 to 15 in	2.50 3.25 5.00
virginal	is globosa. Globe Japanese Juni branchlets, scaly fresh green leav planting.	iper. $1\frac{1}{2}$ '-2' Thin round res. Useful for foundation:
	8 in	2.50 3.50 5.00
virginia	na. Redcedar. 25'-30' Forms a dense purplish in winter. Useful in form	nal work or mixed plantings.
	18 in	1.25 2.25 3.50 5.00
	5 ft	7.50

	Each Per 10
JUNIPERUS	virginiana cannarti. Cannart Cedar. 12'-15' Deep blue-green foliage—dense growing columnar form.
	2 ft
	2½ ft
	4 ft
virginian	a elegantissima. Goldtip Redcedar. 10'-12' Bright yellow tips to branches, turning bronze in winter. Attractive variety.
	2 ft
111	3 ft
virginian	a glauca. Silver Redcedar. 15'-20' Bluish-gray foliage.
	18 in 2.50
	2 ft 3.50
	2½ ft 5.00
	3 ft
	4 ft
virginian	a pendula. Weeping Redcedar. 8'-10' Branches lengthen and droop over giving a picturesque effect.
	2½ ft
	3 ft
	3½ ft 8.00
virginian	a schotti. Schott Redcedar. 12'-15' Has fresh green foliage. Compact formal columnar habit.  2 ft
	2 ft
	3 ft 6.50
	3½ ft
	4 ft 10.00
virginian	a tripartita. Fountain Redcedar. 4'-5' A bushy half upright grower with feathery branches.
	2 ft
	3 ft
waukega	n. (See Horizontalis Douglasi)
_	gustifolia. Lambkill. 3' Has narrow leaves—deep pink
RALPHA al	flowers, June. Good for dry sunny places.  18 in
latifolia.	Mountain Laurel. 5'-7' Most effective in June when the
	clusters of pink flowers open. Good foliage, likes shade.
	12 to 18 in
	18 to 24 in
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
LEUCOTHO	E catesbaei. Drooping Leucothoe. 3'-4' Attractive white
	flowers, May. Handsome lustrous leaves, rich autumn color. Splendid for under planting in shade.
	12 in
	15 in
	2 ft 5.00
LEIOPHYLL	UM buxifolium. Sand Myrtle. 18" Small pale pink flower
	in June. Leaves are small. Good ground cover or rock plant.
	12 in
	15 in
	100

I	Each Per 10
MAHONIA aquifolium. Oregon Holly Grape.  leaves turn rich scarlet in autumn yellow flowers appear. Best in half 12 in	striking in May when shade.
PICEA alba. White Spruce. 50'-60' Silvery shapely specimen of close texture.	foliage—develops into
15 in	1.50 2.00 3.00 4.00
alba albertiana. Dwarf Alberta Spruce. 2½ slow-growing variety, valuable wher	'-3' Extremely compact, e small scale is desired.
15 in	5.00 6.00 7.50 8.50 0.00
excelsa. Norway Spruce. 80'-100' A go	od windbreak.
18 in	1.50 2.50 3.50 5.00 6.00 7.50
excelsa conica. Arrowhead Norway Spruce.	. 6'-7' Grows slowly.
Compact and symmetrical—good fo  10 in	or foundation planting. 2.00 2.50 3.00 4.00
excelsa pumila. Dwarf Norway Spruce. 4	
slow growing. Deep green. Most	
orientalis. Oriental Spruce. 50'-60' Splenc	5.00
Deep green glossy needles. Gracefi	ul habit—slow grower.
15 in	2.50
18 in 2 ft	3.50 5.00
pungens. Colorado Spruce. 60'-80' Bra	
forming handsome lawn specimen.	
18 in 2 ft	3.50
2½ ft	5.00
PIERIS japonica. Japanese Andromeda. 4'- turning bronze in winter. Droopin flowers open in May. Grows slowl shaded place.	ng clusters of small white y—best in moist, partially
12 to 15 in	2.50 3.50
floribunda. Mountain Andromeda, 4' Wa	xy white flowers in May.
Good deep green foliage, best in hal	f-shady places, very hardy.
15 in	4.00
PINUS austriaca (nigra). Austrian Pine. 60'-70' dense grower. Good for background	Rich dark green, vigorous, nd—thrives at seashore.
2 ft	2.50
2½ ft 3 ft	3.50 5.00

Each Per 10 PINUS cembra. Swiss Stone Pine. 20'-25' Thin bluish-green needles and close growth give soft texture. Symmetrical blunt pyramid when young. Grows slowly. 12 in ...... \$2.50 18 in ..... ft ..... 2½ ft ..... 7.50 densiflora. Japanese Red Pine. 40'-50' Long bright-green needles -succeeds well at seashore. 2.00 1½ to 2 ft..... 2.50 3.50 3 to 4 ft.... 5.00 densiflora umbraculifera. Japanese Umbrella Pine. 3'-4' A dwarf variety in which the branches form a flat-topped table-like bush. Rather curious but a useful dwarf pine. 12 in ..... 15 in..... 4.00 5.00 Limber Pine. 30'-40' Buish or dark green leaves. Good flexilis. for rocky places. Grows slowly. in ..... 2.50 2 ft..... 3.50 2½ ft.... ...... 4.5C ft..... 6.00 montana mughus. Mugho Pine. 2½'-3' Forms a round-topped bush. Useful for rock planting and foundation work. 12 in ..... 2.50 15 in ..... 3.00 18 in..... 4.00 6.00 resinosa. Red Pine. 50'-60' Rich green stiff leaves. Reddish brown bark. Vigorous, symmetrical grower. 2 ft ..... 2½ ft ..... 3.50 3 ft ..... 5.00 Pitch Pine. 40'-50' Irregular, picturesque habit. Useful for rigida. dry, poor soil and seashore planting-quick grower. 2½ ft...... 2.50 3.50 ft..... 5.00 ft..... 5 7.50 White Pine. 80'-100' Probably our most adaptable and strobus. 3.50 ft..... 5.00 ft..... 6.00 ft.. .... sylvestris. Scotch Pine. 60'-70' Rather short blue-green twisted needles. Does well on poor soils. Picturesque when old. ft..... 2.00 2.50 3 3.50 ft..... RETINISPORA ericoides. Heath Retinispora. 3'-4' Has heather-like leaves, giving wooly effect. Forms a round, broad bush. 1.50 in ..... 1.5 2.00 in ..... 18 in ..... 2.50 3.50 ft.....

2½ ft.....

5.00

44	PRINCETON NURSERIES PRI	CE LIST
		Each Per 10
RETINISPO	habit branching from ground. Blue	
	12 to 15 in	\$.2.00 2.50 3.50
obtusa.	Hinoki Cypress. 15'-20' Dark grows slowly. Forms beautiful spectage of the state of	green lustrous foliage—cimen—fern-like branches. 3.50 5.00
	3 ft	6.00
	shape—good green during winter.  12 in	Useful as foundation. 2.00 3.00 5.00
	rippsi. Cripps Golden Cypress. 10 golden leaved form. Slow growin 15 in	g—hardy. 3.00 4.00 5.00
obtusa g	racilis. Slender Hinoki Cypress. 1 pyramid, rich dark green foliage. 12 in	2'-15' Narrow irregular Slow grower. 2.00 3.00 4.00 5.00
obtusa g	gracilis compacta. Compact Hinok slow and compact grower. Rough	nly pyramid in outline.
	15 in	3.00 4.00 5.00
obtusa r	nana. Dwarf Hinoki Cypress. 2'-2 ular little mass, interesting and usef	2½' Forms a dense irreg-
	8 in	2.00 2.50
obtusa r	nana aurea. Dwarf Golden Hinok golden leaved form of preceding.	i Cypress. 2'-2½' A 2.50
obtusa y	oungi. Young Golden Hinoki Cyp loose habit. Good constant light of bush.	ress. 12'-15' Graceful
	15 in	2.00 3.00 4.50 6.00
pisifera.	Sawara Cypress, 25'-35' Quick gr 1½ ft	ower, loosely pyramidal. 2.75 3.50 4.50 6.00
pisifera :	_	25'-35' Foliage bright
	15 in	2.00 3.00 4.00 5.00 6.00

Each Per 10 25'-35' Forms a dense RETINISPORA plumosa. Plume Cypress. cone of fine texture. Useful for shearing into formal shapes. \$1.25 in..... 2.00 in..... 1½ ft..... 2.75 ft ..... 3.50 2½ ft ..... 5.00 3 ft ..... 6.50 plumosa aurea. Golden Plume Cypress. 20'-25' Has yellow leaves. 2.00 in..... in., bushy 3.00 4.00 5.00 plumosa lutescens. Dwarf Yellow Plume Cypress. 2½'-3' Forms a low broad round-topped bush; bright yellow tipped branchlets. 10 in ..... 2.00 2.50 12 in ..... 3.50 15 in ..... 5.00 18 in ..... Thread Cypress. 15'-20' Has long, stringy, drooping filifera. branches and bright green foliage-graceful and decorative. in ..... 2.00 15 2.50 in ..... 3.00 18 2 4.50 2½ ft ..... 6.00 ft..... 7.50 filifera aurea. Golden Thread Cypress. 10'-12' Very bright conspicuous golden yellow. Grows more slowly than preceding. 8 to 10 in ..... 1.75 10 to 12 in ..... 2.50 3.50 5.00 filifera aurea nova. VariegatedThread Cypress. 10'-12' Branches are varigated green and yellow. 8 in ...... 1.50 2.00 3.00 squarrosa veitchi. Veitch Moss Cypress. 25'-30' Foliage bluegray, feathery and dense, giving soft wooly appearance. Broad pyramidal outline when young. 12 in ..... 2.25 1½ ft., bushy..... 3.00 2 ft., " 4.00 5.00 ft..... 7.50 squarrosa sulphurea. Sulphur Moss Cypress. 20'-25' Similar in growth to Veitch's but has light yellow tips. in ..... 1.75 15 in ..... 2.25 3.00 18 in ..... 4.00 ft..... 2½ ft..... 5.00 thyoides. Whitecedar. Irregular slender outline, bluish-gray fragrant foliage purplish in winter. Valuable for low marshy places. 3.00 ft..... 4.00 ft..... 6.00 ft..... 7.50 ft..... ft..... 10.00

THITCE FOR THE EIGH
Each Per 10  RHODODENDRON. Hybrid Rhododendron. 3'-8'  1½ ft
carolinianum. Carolina Rhododendron. 4'-6' Rosy-purple flowers, May-June. Compact, bushy. Best in moist, shady places.         12 to 18 in
catawbiense. Catawbe Rhododendron. 6'-9' Large rosy-purple flowers, May-June. Deep green leaves, prefers half-shade.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
maximum. Rosebay Rhododendron. 8'-12' Beautiful light pink flowers freely produced in May-June. Large, handsome foliage, most effective in masses.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
minus (punctatum). Piedmont Rhododendron. 4'-5' Pale rose, May.
18 in
pact, upright. Stiff dark green leaves crowded on branches.
10 to 12 in
baccata compacta. $3'-4'$ Neat, compact form, short deep-green leaves.
12 in
baccata repandens. Spreading English Yew. 1½'-2' Spreading horizontal branches, dark blue-green leaves. Valuable for low planting.
10 in     1.75     15.00       12 in     2.25     20.00       15 in     3.00     27.00       18 in     4.00     36.00       2 ft     5.00     45.00
canadensis. Canada Yew. 2'-2½' Spreading habit, bronzy in winter. Prefers shade—good for underplanting.
10 in
cuspidata. Japanese Yew. 4'-5' (Spreading form.) Rich dark green leaves. Spreading, bushy. Valuable for foundation planting.
12 in

		Per 10	
TAXUS cuspidata brevifolia. Dwarf Japanese leaves, blackish green. Slow grow	Yew. ing, irr	2'-3' Br egular spr	oad thick eading.
8 in	\$1.50		
10 in., bushy	2.00	18.00	
12 in 15 in	3.00 4.00	27.00 36.00	
18 in	5.00	45.00	
THUJA Lobbi atrovirens. Rich shining deep-green		hy leaves.	
18 in	2.50 3.00		
occidentalis. American Arborvitae. 15'-3	0' Sle	nder pyrai	nid with
broad base. Bronzy winter coloring for a hedge. Amenable to clipping	ζ.	ood accent	plant or
1½ ft 2 ft	1.50 2.00		
2½ ft	3.00		
	4.00		
3½ ft	5.00 6.50		
occidentalis columbia. Columbia Arborn		6'-10'	Branches
tipped with silvery white. Formal	narro	w pyramic	l.
12 in	1.50		
15 in 18 in	2.50		
2 ft	3.50		
2½ ft	5.00		
occidentalis compacta. Parsons Dwarf Arb globe shaped. Bright green. Use tion planting.	orvitae ful in	formal or	Almost founda-
12 in	2.00	18.00	
15 in	2.50	22.50	
18 in	3.50 5.00		
2 ft. specimens occidentalis douglasi aurea. Douglas Gold A broad pyramid with golden gree	en Arl	orvitae.	10'-15'
18 in	2.00	ge.	
2 ft	3.00		
2½ ft	4.00		
3 ft	5.00 7.50		
4 ft	10.00		
occidentalis elegantissima. Golden Tippe Branches tipped with yellow. Rich	d Arl	porvitae. ous green o	10'-15' therwise.
18 in	2.00		
2 ft	3.00 4.00		
2½ ft	5.00		
occidentalis ellwangeriana. Tom Thumb A heather-like leaves—dense habit—s low, broad, blunt pyramid. Rich	oft, clo	se texture.	Forms
12 in	1.50	13.50	
15 in	2.00	18.00	
1½ ft 2 ft	2.50	22.50 31.00	
2 ft 2½ ft	3.50 5.00	31.00	
occidentalis recurva nana. Little Gem Arbo		. 2'	
10 in	2.00		
12 in	2.50		

48	PRINCETON NURSERIES PRICE LIST
	E 1 D. 10
TH	Each Per 10
IH	UJA occidentalis globosa. Globe Arborvitae. 2½'-3' Useful in for-
	mal work. Naturally globe shaped.
	10 in
	12 in
	18 in
	occidentalis hoveyi. Hovey Arborvitae. 3'-4' Oval in shape,
	nearly as broad as high. Bright green foliage.
	12 in 1.75 15.00
	15 in 2.25 20.00
	18 in
	2 ft
	occidentalis lutea. Geo. Peabody Arborvitae. 10'-15' Conspicuous
	golden yellow form. Columnar outline.
	15 in
	18 in 2.50 2 ft 3.50
	$2\frac{1}{2}$ ft
	3 ft
	occidentalis plicata (filicoides). Moss Arborvitae 10'-20' Rich
	deep blue-green foliage. Short, stiff fern-like branches give
	pleasing effect in light and shade. Formal pyramid.
	18 in 1.75
	2 ft 2.50
	2½ ft
	3½ ft 6.00
	4 ft 7.50
	occidentalis pyramidalis. Pyramidal Arborvitae. 15'-30' Retains
	bright green coloring throughout winter. Narrow columnar
	shape, splendid for accents or formal planting.
	18 in 1.50
	2 ft
	2½ ft
	3½ ft
	4 ft
	occidentalis rosenthali. Rosenthal Arborvitae. 6'-10' Dense rugged
	columnar form. Slow grower.
	12 in 1.50
	15 in 2.00
	18 in
	2 ft
	occidentalis spaethi. Spaeth Arborvitae. 2½'-4' Two kinds of
	leaves—heathlike and scaly. Interesting and distinct.
	18 in
	occidentalis umbraculifera. Umbrella Arborvitae. 2'-3' Particularly
	good—low mushroom shaped form with rich green foliage.
	10 in
	12 in 2.00
	15 in 2.50
	occidentalis vervaeneana. Vervaene Arborvitae. 8'-12' Variegated
	greenish yellow foliage, bronzy in winter—broadly pyramidal.
	18 in
	2175 •2½ ft
	3 ft
	3½ ft 6.00
	4 ft 8.00

Each Per 1C
THUJA occidentalis vervaeneana aurea. Golden Vervaene Arborvitae.
8'-12' A more intense yellow than preceding.
1½ ft\$2.00
2 ft 3.00
2½ ft 4.50
3 ft
3½ ft
4 ft 10.00
wareana (siberica.) Siberian Arborvitae. 12' 15' Light green fleshy foliage. Broadly pyramidal, rugged in appearance.
15 in 1.75 \$15.00
1½ ft 2.25 20.00
2 ft 3.00 27.00
2½ ft 4.50 40.00
3 ft. 6.00 3½ ft. 8.00
adaptable, the spreading horizontal branches making effective shadow effects. Useful as clipped hedge or informal planting.         18 in       2.50         2 ft       3.00         2½ ft       4.00         3 ft       5.00         4 ft       7.50         5 ft       10.00
caroliniana. Carolina Hemlock. 50'-60' A particularly fine evergreen with horizontal branches and thick green leaves—very hardy.
18 in 2.50
2 ft 3.50
VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large oblong leaves, deep green above, gray beneath—a bold handsome shrub.  12 to 18 in 1.50
YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves.  Tall flower spike grows up quickly in June-July. Numerous creamy flowers and general appearance give tropical effect.  Useful for massing with either evergreens or shrubbery.

## Hardy Herbaceous Perennials

\* indicates plants suitable for rockery or alpine gardens.

	Each	Per 10	Per 100
ACHILLAE ageratum. Sweet Yarrow. 2' Yellow, June-Sept	\$ .25	\$2.00	\$18.00
ptarmica Boule de niege. Ball of Snow Yarrow. 18" White, June–Sept	.25	2.00	18.00
*tomentosa. Wooly Yarrow. 1'			
Yellow, June–Sept	.25	2.00	18.00
ACONITUM fischeri. Azure Monkshood. 2½' Dark blue, Sept-Oct	.35	3.00	
*AETHIONEMA coridifolium. Lebanon Stone- cress. 1' Pink, June	.25	2.00	18.00
ALTHAEA. IIollyhock. 5' Assorted, single and double, July-Aug	.25	2.00	18.00
*ALYSSUM. saxitale compactum. Dwarf			
Golden Tuft. 1' Yellow, April-May	.25	2.00	18.00
ANCHUSA italica. Italian Bugloss. 4' Blue, June-Sept	.35	3.00	
AQUILEGIA caerulea. Colorado Columbine. 18" Blue and white, May-June	.25	2.00	18.00
chrysantha. Golden Columbine. 2' Yellow, May-June	.25	2.00	18.00
*flabellata nana. White Fan Columbine.	2.5	2.22	10.00
1' White, May-June	.25	2.00	18.00
formosa truncata. California Hybrids. 2' Various colors, May-June	.25	2.00	18.00
*ARABIS alpina. Wall Cress. 6" White, April-May	.25	2.00	18.00
*flore pleno. Double Wall Cress. 6" White, April-May	.35	3.00	
*ARENARIA montana. Sand-wort. 4" White, April-May	.25	2.00	18.00
*ARMERIA maritima. Sea Thrift. 6" Pink, May-June	.25	2.00	18.00
*ASTER alpinus. Rock Aster. 8"	.23	2.00	10.00
Lilac, May–June	.25	2.00	18.00
Beauty of Colwall. 4' Lavender. Aug	.25	2.00	18.00
sub-coeruleus. 12" Mauve, June-July	.25	2.00	18.00
*AUBRETIA deltoidea. Common Aubretia. 6" Violet, April–May	.35	3.00	
BAPTISIA australis. False Indigo. 2½' Dark blue, May-July	.25	2.00	18.00
tinctoria. Wild Indigo. 2' Yellow, June–July			
	.25	2.00	18.00
BOLTONIA. Pink Boltonia. AugSept latisquama. Boltonia. 4' Lavender,	.25	2.00	18.00
AugSept.	.25	2.00	18.00
latisquama nana. Dwarf Pinkray Boltonia. 2' Light Pink, Aug.—Sept	.25	2.00	18.00

*CAMDANIH A sampation Controlling Dall	Each	Per 10	Per 100
*CAMPANULA carpatica. Carpathian Bell- flower. 6" Light blue, July-Aug	.25	2.00	18.00
*alba. White Carpathian Bellflower. 6" White, July-Aug	.25	2.00	18.00
glomerata. Danesblood. 18" Dark blue, June-July	.35	3.00	
medium. Canterbury Bells. 2' Blue, Pink, White, June	.25	2.00	18.00
medium calycanthema. Cup and Sancer. 2' Blue, pink, white, June	.25	2.00	18.00
persicifolia Peach-leaved Bellflower. 2' Blue, June-July	.25	2.00	18.00
persicifolia alba. White Peach-leaved Bellflower. 2' White, June-July	.25	2.00	18.00
CENTAUREA montana. Bluet. 2' June-Sept.	.25	2.00	18.00
*CERATOSTIGMA plumbaginoides. (Plumbago Larpentae). Blue Leadwort. 8" Deep blue, Aug.—Sept	.25	2.00	18.00
	,23	2.00	10.00
CHELONE glabra. Turtlehead. 2' White, AugSept	.25	2.00	18.00
lyoni. Lyon Turtlehead. 2½′ Red, Aug- Sept	.25 .	2.00	18.00
*CALANDRINIA umbellata. Peruvtan Rock			
Purslane. 6" Purplish crimson, July-Oct	.25	2.00	18.00
, -			
CHRYSANTHEMUM	.25	2.00	18.00
Maximum. Shasta Daisy. 2' White, July Maximum Alaska. 2' White, July-Sept.	/–Sept.		
Dean Emery. 2½' Large. Yellow, mediu			
Donkelaria. 2½′ Large. Yellow, early O Globe D'Or. 18″ Button. Yellow, early.	Cl.		
Harrie. 2' Pompom. Yellow, medium.			
<b>La Garrone.</b> 2' Large. Rose and buff, ea	-l		
L'Argentuillais. 2' Large. Bronzy red, m			
<b>Lillian Doty.</b> 3' Pompom. Flesh pink, m			
Marie Dupont. 3' Large. White, early.	ediuiii.		
Mrs. H. Harrison. 3' Pompom. Blush, ea	arly		
Pink Doty. 3' Pompom. Clear pink, med	2		
Queen of Whites. 3' Large. Creamy whi			
Red Doty. 3' Pompom. Wine red, mediu			
St. Illoria. $2\frac{1}{2}$ Large. Pink, medium.			
Soeur Melanie. 2½' Large. White, mediu	ım.		
Tennyson. 2' Pompom. Red, late.			
Uvalda. $2\frac{1}{2}$ Pompom. White.			
Yellow Dot. Pompom. Yellow, medium.			
White Doty. 3' Pompom. White, medium	n.		
Zenobia. 18" Button. Yellow, early.			
CONVALLARIA majalis. Lily-of-the-Valley. 8" White, May-June	.35	3.00	
COREOPSIS floribunda. Coreopsis. 2' Yellow, June-Sept	.25	2.00	18.00
lanceolata. Lance Coreopsis. 2' Yellow, June-Oct	.25	2.00	18.00
Tellow, Julie Oct	.20		

	Each	Per 10	Per 100
DELPHINIUM belladonna. Larkspur. 2½' Light blue, June-Oct	\$ .25	\$2.00	\$18.00
chinensis. Slender Larkspur. 2' Deep blue, June-Oct	.25	2.00	18.00
chinensis alba. White Slender Larkspur.	.25	2.00	18.00
elatum. Bee Larkspur. 2' Blue, June– Oct	.25	2.00	18.00
formosum. Hardy Larkspur. 2½′ Dark blue, June-Oct	.25	2.00	18.00
hybrids. Larkspur. 2' to 4' Blue, June- Oct	.25	2.00	18.00
DIANTHUS barbatus. Sweet William. 1½' Red, white, pink, May-June	.25	2.00	18.00
Newport pink. Sweet William. 18" Pink, May-June	.25	2.00	18.00
latifolius atrococcineus. Hybrid Sweet William. 1' Crimson, May-June	.25	2.00	18.00
Miss America. 18" Double Scarlet, May-	.25	2.00	18.00
Sept** *plumaris. 1' White, May June	.25	2.00	18.00
Gertrude. 10" Double red, May-June	.25	2.00	18.00
*Her Majesty. 10" Double White, May-June	.25	2.00	18.00
Jean. 18" Double white, red center, May Sept	.25	2.00	18.00
*DICENTRA spectabilis. Bleeding Heart. 18" Pot grown. Deep rose, April, May	.50	4.50	10.00
DICTAMNUS alba (fraxinella). Gas Plant. 3' White, June-July	.35	3.00	
DIGITALIS purpurea. Foxglove. 2½' Rosy purple, June July	.25	2.00	18.00
alba. White Foxglove. 2' White, June-July	.25	2.00	18.00
ECHINACEA purpurea. Purple Coneflower.			
Star Purple, July-AugECHINOPS humilis. Globe Thistle. 2'	.25	2.00	18.00
Steel blue, July-Aug	.25	2.CO	18.00
ritro. 3' Steel blue. July-Aug* *DRABA rupestris. Whitlow Grass. 4"	.25	2.00	18.00
White, April-May	.25	2.00	18.00
flower. 2' Blue, AugOct FUNKIA subcordata. White Plantain Lily.	.25	2.00	18.00
18" White, July-Aug	.50	4.50	
coerulea. 18" Purplish blue, July-Aug. undulata variegata. Variegated Leaf	.25	2.00	18.00
Funkia. 18" Blue, July-Aug	.25	2.00	18.00
18" Yellow and Red, May-Nov	.25	2.00	18.00
GEUM Mrs. Bradshaw. Avens. 18" Double Red, June–July	.25	2.00	18.00
montanum heldriechi. Orange Avens. 18" Orange, May-July	.25	2.00	18.00
*GLOBULARIA trichosantha. Globe Daisy. 6" Blue, May-June	.25	2.00	18.00

		Each	Per 10	Per 100
GYPSOPHYLLA paniculata. Baby's I 2' White, June-July	Breath.	\$ .25	\$2.00	\$18.00
*repens. Creeping Gypsophylla. White, June-July	4''	.35	3.00	
HELIANTHEMUM. 18" Fickle Su Pink, May-Sept	ınrose.	.35	3.00	1
HELENIUM autumnale superba. Snees 4' Yellow. AugSept	eweed.	.25	2.00	18.00
Riverton Gem. Bronze Sneezewee Bronze, Aug.—Sept	ed. 3'	.25	2.00	18.00
HELIANTHUS fl. pl. 4'-5' Yellow, Sept		.25	2.00	18.00
HELIOPSIS helianthoides pitcheriana. Heliopsis. 3' Yellow, July-S	ept	.25	2.00	18.00
HEUCHERA sanguinea. Alum Root. Pot grown. Crimson, May-S	ept	.25	2.00	18.00
sanguinea alba. White Arrowrood White, May-Sept		.25	2.00	18.00
Sept moscheutos. Mallow Marvels. 4		.25	2.00	18.00
AugSept		.25	2.00	18.00
*IBERIS gibraltarica. Gibraltar Can 1' Lilac. May-June	dytuft.	.25	2.00	28.00
*sempervirens. Evergreen Candytu White. April–May	ft. 10"	.25	2.00	18.00
sempervirens. Little Gem. 6" green leaves. White, April	Ever-	.25	2.00	18.00
*IRIS pumila cyanea. Dwarf Iris. 8		.25	2.00	18.00
Dwarf Yellow		.25	2.00	18.00
germanica. Fleur-de-lis. (German 1½'-2½'		.25	2.00	18.00
Aurea—yellow.	H. Cran	nerlav	ender blu	2.
Dr. Bernice—bronze.	_	lark purp	ole.	
Florentinawhite.	Landse			
General. Granite Blue—light blue.	Loreli—	-	1.14	.1 .1.1
Gracchus—pale yellow, suf-			-white pen rosy-cl	
fused red.		-	—rosy ci —white, v	
Her Majesty—pink.			a—deep	
kaempferi. Japanese Iris. 2'-21/	<i>\</i> ′	.25	2.00	18.00
Blue Jay—pale blue.	J. C. Va			10,00
Blue, Yellow Centre.	Light B	_	***************************************	
Dark Maroon.	_	-dark pu	rple.	
Eclipse—double purple.	Purple,	Yellow	Centre.	
Frate—dbl. white, lilac centre.				
sibirica. Siberian Iris. 2' Purple. June		.25	2.00	18.00
sibirica alba. White Siberian In White, May-June		.25	2.00	18.00
LATHYRUS latifolius. Perennial Pe Pink, June-Aug		.25	2.00	18.00

54 PRINCETON NURSERIES	PRICE LIS	51	
*LINUM perenne. Blue Perennial Flax.		Per 10 \$2.00	Per 100 \$18.00
LOBELIA cardinalis. Cardinal Flower. 21/ Scarlet, July Aug	<u>.</u>	2.00	18.00
syphilitica. Large Blue Lobelia. 2'			
Blue, AugSept	25	2.00	18.00
syphilitica alba. White, AugSept LUPINUS arborea. Yellow Lupine. 3'		2.00	18.00
Yellow, June-Julypolyphyllus. Washington Lupine. 3'		3.00	
Blue, June-July		3.00	
polyphyllus albus. 3' White, June-July polyphillus moerheimi. Rose Lupin	e.	3.00	
Pink, June-July		3.00	
LYCHNIS chalcedonica. Maltese Cross Scarlet, June-July	25	2.00	18.00
haageana. Haage Campion. 1' Sca let, May June	25	2.00	18.00
viscaria splendens. Rosepink Campion 1' Crimson, May-June	25	2.00	18.00
LYTHRUM salicaria roseum. Rose Loose strife. 2½ Pink, July-Aug	25	2.00	18.00
MATRICARIA inedora. Scentless Fals Chamomile. 18" White, June-Sep	se ot25	2.00	18.00
MISCANTHUS sinensis gracillimus. Maide		2.00	18.00
Grass (Eulalia). 2½'sinensis. Variegated Striped Eulalia. 2½		2.00	18.00
MONARDIA media. Oswego Bee Balm. 21 Rosy red, June-Aug	<b>≦</b> ′	2.00	18.00
*MYOSOTIS scorpioides (palustris). Forge		2.00	10.00
me-not. 10" Blue, May-Sept		2.00	18.00
*nixenauge. 8" Pale blue. May-June		2.00	18.00
*NIEREMBERGIA rivularis. Whitecup. 4 White, June-Aug	25	2.00	18.00
OENOTHERA youngi. Evening Primrose Yellow, June-Aug	25	2.00	18.00
speciosa. White Sundrops. 18" White AugSept	.e., .25	2.00	18.00
PACHYSANDRA terminalis. Japanese Spur 8" Greenish white, May	ge.	2.00	18.00
PAEONIA sinensis. Peony	75		
Agida red.	Festiva Ma	xima—w	hite.
Albatree—white.	Lady Darti	nouth—v	vhite.
Albert Crousse—rose white.	La Tulipe-	-white.	
August d'Hour—dark red.	Louise Van	Houtte-	-deep rose
Canari-yellow.	Mad. L. Ca	alot—pinl	κ.
Corrome d'Or-white.	Mad. Mout		
Delachi—red.			•
Duc de Wellington—white.	Magnifica—white. Marie Des Holmes—white. Marie Lemoine—white.		
Duchesse de Nemours - white			
Edouard Andre—Carmine.			
	2 / 2 / -		
Edulis Superba—pink.	McMahon-		
Edulis Superba—pink. Eugene Verdier—pink.	Meissonier	—purple	
Edulis Superba—pink. Eugene Verdier—pink. Faust—pink.	Meissonier Mme. de V	—purple V <b>erneville</b>	— white
Edulis Superba—pink. Eugene Verdier—pink.	Meissonier	—purple V <b>erneville</b>	— white

11(11(021(01))) 11(11)			
*PAPAVER nudicaule. Iceland Poppy. 10"	Each	Per 10	Per 10
White yellow, May-Aug	\$.25	\$2.00	\$18.0
papaver orientale. Oriental Poppy. 2½' Scarlet, July-Aug	.25	2.00	18.0
PENTSTEMON torreyi. Torrey Pentstemon.  3' Scarlet, June-Aug	.25	2.00	18.0
PHALARIS arundinacea. Reed Canary Grass.	.25	2.00	18.0
PHLOX arendsi. Louise. 1' Lilac, May-July	.35	3.00	
*Divaricata. Blue. 1' Lavender blue, May	.35	3.00	
Decusatta. Garden Phlox. 1½'-2' July-Sept.		0.00	
Baron Von Heeckeren. Salmon-pink	.35	3.00	
Coquelicot. Brilliant Scarlet	.35	3.00	
Deutschland. Bright orange-red	.25	2.00	18.0
Eclaireur. Violet-red, pink eye	.25	2.00	18.0
	.43	2.00	10.0
Elizabeth Campbell. Delicate Salmon- pink	.35	3.00	
Fraulein Von Krupp. White dwarf	.25	2.00	18.0
G. A. Strohlein. Orange-scarlet, darker	.43	2.00	10.0
eve	.35	3.00	
General Von Heutz. Salmon-red,	.55	3.00	
white centre	.25	2.00	18.0
Gruppenkonigin. Pale rose, darker cen.	.25	2.00	18.0
Hindenberg. Intense Crimson	.35	3.00	1010
Jules Sandeau. Pure pink, dwarf	.25	2.00	18.0
La Vague. Mauve pink, red eye	.25	2.00	18.0
Mrs. Jenkins. (Independence), white	.25	2.00	18.0
Queen. White, early	.25		
		2.00	18.0
R. P. Struthers. Red, crimson eye	.25	2.00	18.0
Rhynstroom. Deep pink	.25	2.00	18.0
Sunshine. Pink, darker eye	.25	2.00	18.0
Thor. Salmon-pink, crimson eye, large	.25	2.00	18.0
Wanadis. Lilac, purple eye	.35	3.00	
Widar. Reddish violet, white centre	.25	2.00	18.0
*ovata (carolina). 12" Rosy red, June-July	.25	2.00	18.0
*subulata. Moss Pink. 4" Pink April-May	.25	2.00	18.0
*subulata alba. White Moss Pink. 4" White, April-May	.25	2.00	18.0
*subulata G. F. Wilson. Lavender Moss Pink. 4" Lavender blue, April-May	.35	3.00	
suffruticosa. Miss Lingard. Tall, vigorous. White, pink eye	.25	2.00	18.0
PHYSOSTEGIA virginica. False Dragon-		2.00	18.0
head. 2½' Light pink, June-July PLATYCODON grandiflorum. 18" Light	.25		
blue, June-July	.25	2.00	18.0
grandiflorum album. 18" White, June-July	.25	2.00	18.0
Mariesi. Maries Balloon Flower. 12" Blue, June-July	.25	2.00	18.0
PLUMBAGO. (See Ceratostigma.)			
POLEMONIUM coerulea. Greek Valerian.  2' Blue, June-July	.25	2.00	18.0
*Richardsoni. Jacob's Ladder. 12′′ Sky blue, June–July	.25	2.00	18.C

JU TRINCETON TYCKSEKIES II	CCL LIL	1	
*PRIMULA acaulis (vulgaris). English Prim-	Each	Per 10	Per 100
rose. 8" Lemon yellow, April-May	\$ .25	\$2.00	\$18.00
*elatior. Oxlip Primrose. 8" Various, April–May	.25	2.00	18.00
*veris. Cowslip Primrose. 6" Yellow, April–May	.25	2.00	18.00
PYRETHRUM hybridum. Painted Lady. 2' Double mixed. July-Aug	.25	2.00	18.00
RUDBECKIA laciniata. Golden Glow. 6' Yellow, AugSept	.25	2.00	18.00
speciosa (newmanni). Showy Cone-flower. 2' Pot grown. Yellow, July-Oct	.25	2.00	18.00
SALVIA azuria. Azure Salvia. 3' Sky blue, AugSept	.25	2.00	18.00
pratensis. Meadow Sage. 2' Deep blue, June–July	.25	2.00	18.00
*SEDUM acre. Gold Moss. 3" Yellow, May-June	.25	2.00	18.00
*album. White Stonecrop. 3" White,	.25	2.00	18.00
divergens. 6"	.25	2.00	18.00
*kamschaticum. Orange Stonecrop. 8'' Yellow, July-Aug	.25	2.00	18.00
*sarmentosum. Stringy Stonecrop. 2" Yellow, June–July	.25	2.00	18.00
spectabile. Showy Stonecrop. 18" Pink, AugSept.	.25	2.00	18.00
*stoloniferum. Running Stonecrop. 6" Pink, July-Aug	.25	2.00	18.00
*hispanicum. Spanish Stonecrop. 4" Pale pink, July	.25	2.00	18.00
monregalense (cruciatum). Monreale Stonecrop	.25	2.00	18.00
STACHYS lanata. Wooly Betony. 18" Purple, June–July	.25	2.00	18.00
STOKESIA laevis. Blue Stokes Aster. 18" Blue, July-Oct.	.25	2.00	18.00
laevis alba. White Stokes Aster. 18" White, July-Oct	.25	2.00	18.00
*THYMUS serphyllum splendens. Firefly Thyme. 2" Red, June–July	.25	2.00	18.00
TRITOMA pfitzeriana. Bonfire Torch-Lily. 2½' Red and orange, Aug.–Sept	.25	2.00	18.00
*TUNICA saxifraga. Tunic Flower. 6" White, July-Aug	.25	2.00	18.00
VERONICA longifolia subsessilis. Clump Speedwell. 2' Violet-blue. Aug.—Sept.	.25	2.00	18.00
*repens. Creeping Speedwell. 2" Blue, May	.25	2.00	18.00
*rupestris. Pink. 4" Pink, May-June	.25	2.00	18.00
spicata. Spike Speedwell. 18" Blue, June-July	.25	2.00	18.00

	Each	Per 10	Per 100
*VINCA minor. Periwinkle. 4" Lilac blue, April–May	\$ .25	\$2.00	\$18.00
*VIOLA cornuta. Tufted Pansy. 8" Blue- violet, June-Aug	)		
*Admiration. 9" Purple, May-Aug	.25	2.00	18.00
*Blue perfection. 9" Blue, May-Aug	١		
*White perfection. 9"White, May-Aug	1		

## Fruit Department

Fruit Department				
APPLES AND	CRAB APPLES	Ea	ch Per 10	
7⁄8 i 11-	n. and up in. to 1 in	X 1.	50 00	
Med	d. grade, $\frac{5}{8}$ in. to 11		•	
SUMMER	AUTUMN	WIN	ITER	
Early Harvest	Duchess	Baldwin	Northern Spy	
Early Strawberry	Fall Pippin Grimes Golden	Ben Davis Delicious	Rome Beauty Roxbury Russet	
Gravenstein	King	Fameuse (Snow	) Spitzenburg	
Red Astrachan	Sweet Bough	Golden Russet Jonathan	Stayman's Winesap Stark	
Williams E. Red	Talman Sweet Wealthy	McIntosh N. W. Greening	York Imperial	
Yel. Transparent	Wolf River	R. I. Greening	Winter Banana	
CRAB APPLES	—Hyslop, Red Sil	berian, Transcend	ent.	
APPLES - Dwar	f			
5/8	in. to 3/4 in	A 1.		
½ in. to ½ in				
PEARS—Standa		<i>O</i> ,	107	
1 in 7/8 11-	in and up	X 1.	00 50 00 75	
Bartlett	Duche		Seckel	
Beurre Bosc	Flemis	sh Beauty	Sheldon	
Beurre d'An	•		Vermont Beauty	
	vorite Lawre	nce		
PEARS—Dwarf	4 d - 5/ to d	Α 1.	00	
Firs Med	It grade, $\frac{5}{8}$ in. and $\frac{1}{2}$ in. to $\frac{5}{2}$	up	75	
Bartlett, Clapp's Favorite, Duchess, Louise Bonne, Seckel, Vermont Beauty.				
CHERRIES-So	ur			
7/8 11-	i. and upin. to 1 in	X 1 1 A 1.0	50	
	1 34			

Early Richmond, Montmorency, English Morello.

CHERRIES—Sweet	Each	Per 10
11/8 in. and upXXX	\$2.50	
1 in. to 118 inXX	2.00	
$\frac{7}{8}$ in. to 1 in	1.50	
11-16th in to 7/8 in	1.25	
		Jood, Napoleon
Schmidt's Biggareau, Yellow Spanish.	30V. VI	700u, Napoleon
PLUMS- 1 in and upXX	2.00	
7/8 in. to 1 in	1.50	
11-16th in. to 7/8 in	1.00	
Abundance, Bradshaw, Burbank, Imperia Yellow Egg, German Prune.	al, Shr	opshire Damson
PEACHES—¾ in. and up, 5 to 7 ftXX	1.00	\$9.00
½ in. to ½ in., 4 to 6 ft X	.75	6.50
9-16th in. to $\frac{5}{6}$ in., 4 to 5 ftA	.50	4.50
7-16th in. to 9-16th in., 3 to 5 ftM	.40	3.50
5-16th in. to 7-16th in., 3 to 4 ftB	.30	2.50
F. indicates Freestone.		
EARLY MID-SEASON		LATE
Carman F., White Belle of Georgia F., Wh.	. Kru	immel October
Champion F., White Late Crawford F., Yel.		F., Yellow
Early Crawford F., Yel. Elberta F., Yellow	Fox	Seedling
Fitzgerald F., Yellow		F., White
They I'., write		
2.20 - 2.20 - 2.77	2	
Ray F., White Miss Lolo F., White	1.50	
QUINCES—¾ in., 4 to 5 ft	1.50	
½ in., 2½ to 3 ft	1.25	
Champion, Orange.	1.00	
NUTS-		
Butternut—2 to 3 ft	1.00	
3 to 4 ft	1.25	
4 to 6 ft	1.50	
Hickory—Shellbark	2.00	
3 to 4 ft	2.00 2.50	
Walnut—Black	2.50	
2 to 3 ft	1.50	
3 to 4 ft	2.00	
4 to 5 ft	2.50	
Japan – 3 to 4 ft	1.50	
4 to 5 ft	2.00	
GRAPES—	2.50	
Agawam, red		
Brighton, black		
Campbell's Early, black		
Catawba, red		
Champion, black		
Clinton, black	.35	3.00
Concord, black		
Delaware, red		
Moore's Early, black		
Moore's Diamond, white		
Niagara, white		
Worden, black		

CURRANTS—	Each	Per 10	
Cherry Fay's Prolific Lee's Black Perfection			
White Grape2 yr.	\$.35	\$3.00	
GOOSEBERRIES— Downing Houghton Joselyn Red Jacket	.50		
RASPBERRY — Cuthbert, Kansas, Columbian, St. Regis (everbearing)		Per 10 \$1.00	Per 100 \$8.00
BLACKBERRIES-Blower's, Erie, Rathbun		1.00	8.00
STRAWBERRIES		1.00	6.00
ASPARAGUS—2 yr		.50	3.00
RHUBARB	.25	2.00	15.00

## TABLE OF CONTENTS

Conditions of Sale	nside	froi	nt co	ve
Deciduous Shade Trees	Page	s 1	to	1
Flowering Shrubs	44	12	to	3
Roses.	44	32	and	33
Vines and Climbers	4.4	33	and	34
Evergreens and Conifers.	44	35	to	49
Herbaceous Perennials.	44	50	to	57
Fruit Trees and Bushes	44	57	to	59



